

CD10 (PN0253) Nb-FC recombinant antibody

CatalogNo: YA0049 Recombinant R

Key Features

Reactivity Applications
• Human • ELISA,Flow Cyt

Recommended Dilution Ratios

ELISA 1:5000-100000 Flow Cyt 1-2µg/Test

Storage

Storage* -15°C to -25°C/1 year(Avoid freeze / thaw cycles)

Formulation Phosphate-buffered solution

Basic Information

Source Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain, recombinantly

produced from 293F cell

Purification Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain, recombinantly

produced from 293F cell

Clone Number PN0253

Immunogen Information

Immunogen	Purified recombinant Human CD10
Specificity	This recombinant monoclonal antibody can detects endogenous levels of CD10 protein.

| Target Information

Gene name

MME EPN

Protein Name

Neprilysin (Atriopeptidase) (Common acute lymphocytic leukemia antigen) (CALLA) (Enkephalinase) (Neutral endopeptidase 24.11) (NEP) (Neutral endopeptidase) (Skin fibroblast elastase) (SFE) (CD antigen CD10)

Organism	Gene ID	UniProt ID
Human	<u>4311</u> ;	<u>P08473</u> ;


Cellular Localization Cell membrane; Single-pass type II membrane protein.

Tissue specificity Adrenal cortex, Brain, Kidney, Placenta

Function

Catalytic activity:Preferential cleavage of polypeptides between hydrophobic residues, particularly with Phe or Tyr at P1'.,cofactor:Binds 1 zinc ion per subunit.,Disease:Important cell surface marker in the diagnostic of human acute lymphocytic leukemia.,enzyme regulation:Inhibited in a dose dependent manner by opiorphin.,Thermolysin-like specificity, but is almost confined on acting on polypeptides of up to 30 amino acids. Biologically important in the destruction of opioid peptides such as Met- and Leu-enkephalins by cleavage of a Gly-Phe bond. Involved in the degradation of atrial natriuretic factor (ANF).,similarity:Belongs to the peptidase M13 family.,

| Validation Data



Contact information

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: CD10 (PN0253) Nb-FC recombinant antibody

For Research Use Only. Not for Use in Diagnostic Procedures.	Antibody ELISA Kits Protein Reagents
	Immunoway - 3 / 3