

CD14 (PN0202) Nb-FC recombinant antibody

CatalogNo: YA0286 Recombinant R

Key Features

Reactivity Applications
• Human • ELISA

Recommended Dilution Ratios

ELISA 1:5000-100000

Storage

Storage* -15°C to -25°C/1 year(Avoid freeze / thaw cycles)

Formulation Phosphate-buffered solution

Basic Information

Source Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain, recombinantly

produced from 293F cell

Purification Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain, recombinantly

produced from 293F cell

Clone Number PN0202

Immunogen Information

Immunogen Purified recombinant Human CD14

Specificity This recombinant monoclonal antibody can detects endogenous levels of CD14 protein.

Target Information

Gene name CD14

Protein Name Monocyte differentiation antigen CD14 (Myeloid cell-specific leucine-rich glycoprotein) (CD

antigen CD14) [Cleaved into: Monocyte differentiation antigen CD14, urinary form;

Monocyte differentiation antigen CD14, membrane-bound form]

Organism Gene ID UniProt ID

Human 929; P08571;

Cellular Localization Cell membrane ; Lipid-anchor, GPI-anchor . Secreted . Membrane raft . Golgi apparatus .

Secreted forms may arise by cleavage of the GPI anchor. .

Tissue specificity Detected on macrophages (at protein level) (PubMed:1698311). Expressed strongly on the

surface of monocytes and weakly on the surface of granulocytes; also expressed by most

tissue macrophages.

Function Cooperates with MD-2 and TLR4 to mediate the innate immune response to bacterial

lipopolysaccharide (LPS). Acts via MyD88, TIRAP and TRAF6, leading to NF-kappa-B activation, cytokine secretion and the inflammatory response. Up-regulates cell surface molecules, including adhesion molecules., online information:CD14 entry, similarity:Contains 11 LRR (leucine-rich) repeats., subunit:Belongs to the lipopolysaccharide (LPS) receptor, a

multi-protein complex containing at least CD14, MD-2 and TLR4.,tissue

specificity: Expressed strongly on the surface of monocytes and weakly on the surface of

granulocytes; also expressed by most tissue macrophages.,

Validation Data

Contact information

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: CD14 (PN0202) Nb-FC recombinant antibody

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents