

CD38 (PN0654) Nb-FC recombinant antibody

CatalogNo: YA0410 Recombinant R

Key Features

Reactivity Applications
• Human • ELISA

Recommended Dilution Ratios

ELISA 1:5000-100000

Storage

Storage* -15°C to -25°C/1 year(Avoid freeze / thaw cycles)

Formulation Phosphate-buffered solution

Basic Information

Source Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain, recombinantly

produced from 293F cell

Purification Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain, recombinantly

produced from 293F cell

Clone Number PN0654

Immunogen Information

Immunogen Purified recombinant Human CD38

Specificity This recombinant monoclonal antibody can detects endogenous levels of CD38 protein.

Target Information

Gene name **CD38**

Protein Name

ADP-ribosyl cyclase/cyclic ADP-ribose hydrolase 1 (2'-phospho-ADP-ribosyl cyclase) (2'phospho-ADP-ribosyl cyclase/2'-phospho-cyclic-ADP-ribose transferase) (2'-phospho-cyclic-ADP-ribose transferase) (ADP-ribosyl cyclase 1) (ADPRC 1) (Cyclic ADP-ribose hydrolase 1)

(cADPr hydrolase 1) (T10) (CD antigen CD38)

Organism	Gene ID	UniProt ID
Human	<u>952;</u>	<u>P28907;</u>

Cellular Localization Membrane; Single-pass type II membrane protein.

Tissue specificity Expressed at high levels in pancreas, liver, kidney, brain, testis, ovary, placenta, malignant lymphoma and neuroblastoma.

Function

Catalytic activity: NAD(+) + H(2)O = ADP-ribose + nicotinamide., developmental stage:Preferentially expressed at both early and late stages of the B and T-cell maturation. It is also detected on erythroid and myeloid progenitors in bone marrow, where the level of surface expression was shown to decrease during differentiation of blast-forming unit E to colony-forming unit E., enzyme regulation: ATP inhibits the hydrolyzing activity., Synthesizes cyclic ADP-ribose, a second messenger for glucose-induced insulin secretion. Also has cADPr hydrolase activity. Also moonlights as a receptor in cells of the immune system., online information:CD38 entry, similarity: Belongs to the ADP-ribosyl cyclase family., tissue specificity: Expressed at high levels in pancreas, liver, kidney, brain, testis, ovary, placenta, malignant lymphoma and neuroblastoma.,

Validation Data

Contact information

Orders: order.cn@immunoway.com support.cn@immunoway.com Support:

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

2200 Ringwood Ave San Jose, CA 95131 USA Address:



Please scan the OR code to access additional product information: CD38 (PN0654) Nb-FC recombinant antibody

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents