

www.immunoway.com.cn

# CD185 (PN0333) Nb-FC recombinant antibody

CatalogNo: YA0575 Recombinant R

#### Key Features

Reactivity

Human

Applications
• FC,ELISA

#### **Recommended Dilution Ratios**

ELISA 1:5000-100000 Flow Cyt 1-2µg/Test

#### **Storage**

Storage*	-15°C to -25°C/1 year(Avoid freeze / thaw cycles)

Formulation Phosphate-buffered solution

## **Basic Information**

Source	Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain , recombinantly produced from 293F cell
Purification	Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain , recombinantly produced from 293F cell
Clone Number	PN0333

#### Immunogen Information

Immunogen	Purified recombinant Human CD185
Specificity	This recombinant monoclonal antibody can detects endogenous levels of CD185 protein.


## Target Information

Gene name CXCR5 BLR1 MDR15

Protein NameC-X-C chemokine receptor type 5 (CXC-R5) (CXCR-5) (Burkitt lymphoma receptor 1)<br/>(Monocyte-derived receptor 15) (MDR-15) (CD antigen CD185)

	Organism	Gene ID	UniProt ID		
	Human	<u>643</u> ;	<u>P32302;</u>		
Cellular Localization	Cell membrane; Multi-pass membrane protein.				
Tissue specificity	Expression in mature B-cells and Burkitt lymphoma cells.				
Function	Cytokine receptor that binds to B-lymphocyte chemoattractant (BLC). Involved in B-cell migration into B-cell follicles of spleen and Peyer patches but not into those of mesenteric or peripheral lymph nodes. May have a regulatory function in Burkitt lymphoma (BL) lymphomagenesis and/or B-cell differentiation.				

## Validation Data



## **Contact information**

- Orders: order.cn@immunoway.com
- Support:support.cn@immunoway.comTelephone:400-8787-807(China)Website:http://www.immunoway.com.cn
- Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: CD185 (PN0333) Nb-FC recombinant antibody

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents