

CD31 (PN0579) Nb-FC recombinant antibody

CatalogNo: YA0596 Recombinant R

Key Features

Reactivity Applications
• Human • ELISA

Recommended Dilution Ratios

ELISA 1:5000-100000

Storage

Storage* -15°C to -25°C/1 year(Avoid freeze / thaw cycles)

Formulation Phosphate-buffered solution

I Basic Information

Source Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain, recombinantly

produced from 293F cell

Purification Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain, recombinantly

produced from 293F cell

Clone Number PN0579

Immunogen Information

Immunogen Purified recombinant Human CD31

Specificity This recombinant monoclonal antibody can detects endogenous levels of CD31 protein.

Target Information

Gene name PECAM1

Protein Name Platelet endothelial cell adhesion molecule (PECAM-1) (EndoCAM) (GPIIA') (PECA1) (CD

antigen CD31)

Organism Gene ID UniProt ID Human 5175: P16284:

Cellular Localization

Cell membrane; Single-pass type I membrane protein. Cell surface expression on neutrophils is down-regulated upon fMLP or CXCL8/IL8-mediated stimulation. .; [Isoform Long]: Cell membrane ; Single-pass type I membrane protein . Membrane raft . Cell junction . Localizes to the lateral border recycling compartment (LBRC) and recycles from the LBRC to the junction in resting endothelial cells. .; [Isoform Delta15]: Cell junction . Localizes to the lateral border recycling compartment (LBRC) and recycles from the LBRC to the junction in resting endothelial cells.

Tissue specificity Expressed on platelets and leukocytes and is primarily concentrated at the borders between endothelial cells (PubMed:18388311, PubMed:21464369). Expressed in human umbilical vein endothelial cells (HUVECs) (at protein level) (PubMed:19342684, PubMed:175838). Expressed on neutrophils (at protein level) (PubMed:175838). Isoform Long predominates in all tissues examined (PubMed:12433657). Isoform Delta12 is detected only in trachea (PubMed:12433657). Isoform Delta14-15 is only detected in lung (PubMed:12433657). Isoform Delta14 is detected in all tissues examined with the strongest expression in heart (PubMed:12433657). Isoform Delta15 is expressed in brain, testis, ovary, cell surface of platelets, human umbilical vein endothelial cells (HUVECs), Jurkat T-cell leukemia, human erythroleukemia (HEL) and U-937 histiocytic lymphoma cell lines (at protein level) (PubMed:12433657, PubMed:18388311).

Function

intercellular junctions.,online information:CD31 entry,online information:PECAM-1,online information: The Singapore human mutation and polymorphism database,PTM:Phosphorylated on Ser and Tyr residues after cellular activation., similarity: Contains 6 Ig-like C2-type (immunoglobulin-like) domains., tissue specificity:Long isoform predominates all tissues examined, isoform Delta12 was detected only in trachea and isoform Delta14-15 only in lung, isoform Delta14 was detected in all tissues examined with the strongest expression in heart.,

This protein is a cell adhesion molecule expressed on platelets and at endothelial cell

I Validation Data

I Contact information

Orders: order.cn@immunoway.com support.cn@immunoway.com Support:

400-8787-807(China) Telephone:

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the OR code to access additional product information: CD31 (PN0579) Nb-FC recombinant antibody

For Research Use Only. Not for Use in Diagnostic Procedures.	Antibody ELISA Kits Protein Reagents
	Immunoway - 3 / 3