

#### www.immunoway.com.cn

# Cleaved MMP-23 (Tyr79) Rabbit pAb

CatalogNo: YC0064 Orthogonal Validated 💽

## Key Features

Host Species • Rabbit	Reactivity <ul> <li>Human,Mouse,Rat</li> </ul>	<ul><li>Applications</li><li>WB,ELISA</li></ul>
MW • 36kD (Observed)	Isotype • IgG	

### **Recommended Dilution Ratios**

WB 1:500-1:2000 ELISA 1:20000 Not yet tested in other applications.

#### **Storage**

Storage*	-15°C to -25°C/1 year(Do not lower than -25°C)
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

#### **Basic Information**

Clonality Polyclonal

### Immunogen Information

Immunogen	The antiserum was produced against synthesized peptide derived from human MMP23. AA range:60-109
Specificity	Cleaved-MMP-23 (Y79) Polyclonal Antibody detects endogenous levels of fragment of activated MMP-23 protein resulting from cleavage adjacent to Y79.

#### Gene name MMP23B

#### Protein Name

Organism	Gene ID	UniProt ID	
Human	<u>8510;</u>	<u>075900;</u>	
Mouse	<u>26561;</u>	<u>088676;</u>	
Rat	<u>94339;</u>	<u>088272;</u>	


CellularEndoplasmic reticulum membrane ; Single-pass type II membrane protein . Membrane ;<br/>Single-pass type II membrane protein . A secreted form produced by proteolytic cleavage<br/>may also exist. .

**Tissue specificity** Predominantly expressed in ovary, testis and prostate.


Matrix metalloproteinase-23

Functioncofactor:Binds 1 zinc ion per subunit.,enzyme regulation:Inhibited by<br/>TIMP2.,Function:Protease.,PTM:N-glycosylated.,PTM:Proteolytic cleavage might yield an<br/>active form.,similarity:Belongs to the peptidase M10A family.,similarity:Contains 1 Ig-like<br/>C2-type (immunoglobulin-like) domain.,subcellular location:A secreted form produced by<br/>proteolytic cleavage seems also to exist.,tissue specificity:Predominantly expressed in<br/>ovary, testis and prostate.,

### Validation Data



Western Blot analysis of various cells using Cleaved-MMP-23 (Y79) Polyclonal Antibody



Western blot analysis of lysates from 293 cells, treated with etoposide 25uM 1h, using MMP23 (Cleaved-Tyr79) Antibody. The lane on the right is blocked with the synthesized peptide.

## **Contact information**

Orders:	order.cn@immunoway.com
Support:	support.cn@immunoway.com

Telephone: 400-8787-807(China)

- Website: http://www.immunoway.com.cn
- Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: Cleaved MMP-23 (Tyr79) Rabbit pAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents