

## **Akt3 protein**

CatalogNo: YD0072

## **| Key Features**

Reactivity

Human

Applications

WB,SDS-PAGE

#### Storage

Storage\*

-20°C/6 month,-80°C for long storage

**Formulation** 

Liquid in PBS

#### **Recommended Dilution Ratios**

WB 1:500-2000

#### **Basic Information**

Source

E.coli

**Purification** 

E.coli

**Purity** 

SDS-PAGE >90%

# Immunogen Information

**Squence** Amino acid: 264-465, with his-MBP tag.

## | Target Information

**Gene name** 

AKT3

**Protein Name** 

RAC-gamma serine/threonine-protein kinase

Organism	Gene ID	UniProt ID
Human	<u>10000</u> ;	<u>Q9Y243;</u>


Cellular Localization AKT3: Cytoplasm. Membrane. Membrane-associated after cell stimulation leading to its translocation.

**Tissue specificity** In adult tissues, it is highly expressed in brain, lung and kidney, but weakly in heart, testis and liver. In fetal tissues, it is highly expressed in heart, liver and brain and not at all in kidney.

**Function** 

AKT3 is one of 3 closely related serine/threonine-protein kinases (AKT1, AKT2 and AKT3) called the AKT kinase, and which regulate many processes including metabolism. proliferation, cell survival, growth and angiogenesis. This is mediated through serine and/or threonine phosphorylation of a range of downstream substrates. Over 100 substrate candidates have been reported so far, but for most of them, no isoform specificity has been reported. AKT3 is the least studied AKT isoform. It plays an important role in brain development and is crucial for the viability of malignant glioma cells. AKT3 isoform may also be the key molecule in up-regulation and down-regulation of MMP13 via IL13. Required for the coordination of mitochondrial biogenesis with growth factor-induced increases in cellular energy demands. Down-regulation by RNA interference reduces the expression of the phosphorylated form of BAD, resulting in the induction of caspasedependent apoptosis.

#### Validation Data



## **Contact information**

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the OR code to access additional product information: Akt3 protein

For Research Use Only. Not for Use in Diagnostic Procedures.	Antibody   ELISA Kits   Protein   Reagents
	Immunoway - 3 / 3