

Recombinant Human STAT3 protein ,N- Gst Tag

CatalogNo: YD2252

| Key Features

Reactivity

- Human

| Recommended Dilution Ratios

Reconstitute in sterile water for a stock solution

| Storage

Storage* Use a manual defrost freezer and avoid repeated freeze thaw cycles. Store at 2 to 8 °C for one week . Store at -20 to -80 °C for twelve months from the date of receipt.

Formulation Supplied as solution form in TBS,pH8.0./ Lyophilized from TBS,pH8.0.

| Basic Information

Source E.coli

Purification E.coli

Purity >90% as determined by SDS-PAGE

| Immunogen Information

Sequence A DNA sequence encoding the human STAT3(Met1~Met770) was fused with the N-terminal Gst Tag

| Target Information

Protein Name	Organism	Gene ID	UniProt ID
	Human	6774;	P40763;
Cellular Localization	Cytoplasm . Nucleus . Shuttles between the nucleus and the cytoplasm. Translocated into the nucleus upon tyrosine phosphorylation and dimerization, in response to signaling by activated FGFR1, FGFR2, FGFR3 or FGFR4. Constitutive nuclear presence is independent of tyrosine phosphorylation. Predominantly present in the cytoplasm without stimuli. Upon leukemia inhibitory factor (LIF) stimulation, accumulates in the nucleus. The complex composed of BART and ARL2 plays an important role in the nuclear translocation and retention of STAT3. Identified in a complex with LYN and PAG1.		
Tissue specificity	Heart, brain, placenta, lung, liver, skeletal muscle, kidney and pancreas. Expressed in naive CD4(+) T cells as well as T-helper Th17, Th1 and Th2 cells (PubMed:31899195).		

Validation Data

Contact information

Orders: order.cn@immunoway.com
 Support: support.cn@immunoway.com
 Telephone: 400-8787-807(China)
 Website: <http://www.immunoway.com.cn>
 Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:
Recombinant Human STAT3 protein ,N- Gst Tag

For Research Use Only. Not for Use in Diagnostic Procedures.

[Antibody](#) | [ELISA Kits](#) | [Protein](#) | [Reagents](#)