

CD275 (B7-H2, B7-RP1, ICOSL) recombinant protein

CatalogNo: YD3018

Key Features

Reactivity

Human,

Recommended Dilution Ratios

Storage

Storage* -15°C to -25°C/1 year(Avoid freeze / thaw cycles)

Formulation Phosphate-buffered solution

Basic Information

Source Mammalian cells

Purification Mammalian cells

Purity >90% as determined by SDS-PAGE

Immunogen Information

Squence Amino acid:19-256, with human FC tag.

| Target Information

Gene name ICOSLG

Protein Name

ICOS ligand (B7 homolog 2) (B7-H2) (B7-like protein GI50) (B7-related protein 1) (B7RP-1)

(CD antigen CD275)

Organism Gene ID **UniProt ID** Human 102723996; 075144:

Cellular Localization Cell membrane; Single-pass type I membrane protein.

Tissue specificity Isoform 1 is widely expressed (brain, heart, kidney, liver, lung, pancreas, placenta, skeletal muscle, bone marrow, colon, ovary, prostate, testis, lymph nodes, leukocytes, spleen, thymus and tonsil), while isoform 2 is detected only in lymph nodes, leukocytes and spleen.

Expressed on activated monocytes and dendritic cells.

Function

Ligand for the T-cell-specific cell surface receptor ICOS. Acts as a costimulatory signal for Tcell proliferation and cytokine secretion; induces also B-cell proliferation and differentiation into plasma cells. Could play an important role in mediating local tissue responses to inflammatory conditions, as well as in modulating the secondary immune response by costimulating memory T-cell function (By similarity).

Validation Data

I Contact information

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the OR code to access additional product information: CD275 (B7-H2, B7-RP1. ICOSL) recombinant protein

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents