

CHD4 Mouse mAb

CatalogNo: YM1353 Orthogonal Validated (0)

Comparable Abs C

Key Features

Host Species

Reactivity

Applications

Mouse

• Human

WB,CoIP

MW

260kD (Observed)

Recommended Dilution Ratios

WB 1:1000 IP 1:50-200

Storage

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Monoclonal

Clone Number 8B8

Immunogen Information

Immunogen Purified recombinant human CHD4 protein fragments expressed in E.coli.

Specificity This antibody detects endogenous levels of CHD4 and does not cross-react with related

proteins.

| Target Information

Gene name

CHD4

| | Pro | tein | Name |
|--|------------|------|------|
|--|------------|------|------|

| Organism | Gene ID | UniProt ID |
|----------|--------------|----------------|
| Human | <u>1108;</u> | <u>Q14839;</u> |


Cellular Localization Nucleus . Cytoplasm, cytoskeleton, microtubule organizing center, centrosome . Associates with centrosomes in interphase. .

Tissue specificity Epithelium, Pancreas, Skin, Uterus,


Function

Disease: One of the main antigens reacting with anti-MI-2 positive sera of dermatomyositis., Function: Probable transcription regulator., PTM: Phosphorylated upon DNA damage, probably by ATM or ATR., similarity: Belongs to the SNF2/RAD54 helicase family., similarity: Contains 1 helicase ATP-binding domain., similarity: Contains 1 helicase Cterminal domain., similarity: Contains 2 chromo domains,, similarity: Contains 2 PHD-type zinc fingers., subunit: Central component of the nucleosome remodeling and histone deacetylase (NuRD) repressor complex. Interacts with TRIM27. Part of a complex containing ATR and HDAC2. Interacts with KLF1; the interaction depends on sumoylation of KLF1, and leads to its transcriptional repression.,

Validation Data



Western blot detection of CHD4 in K562, HelaNE, HL-60, MOLT-4, Jurkat and 293 cell lysates using CHD4 mouse mAb (1:1000 diluted). Predicted band size:260KDa.Observed band size:260KDa.



Immunoprecipitation analysis of K562 cell lysates using CHD4 mouse mAb.

| Contact information

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **CHD4 Mouse mAb**

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents