

www.immunoway.com.cn



Recommended Dilution Ratios

WB 1:1000

Storage

Storage*	-15°C to -25°C/1 year(Do not lower than -25°C)
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Monoclonal

Immunogen Information

ImmunogenPurified recombinant human SHP-1 protein fragments expressed in E.coli.SpecificityThis antibody detects endogenous levels of SHP-1 and does not cross-react with related proteins.

Target Information

Gene name ptpn6

Protein Name	Organism	Gene ID	UniProt ID
	Human	<u>5777;</u>	<u>P29350;</u>
	Mouse		<u>P29351;</u>
Cellular Localization	Cytoplasm. Nucleus. In neurons, translocates into the nucleus after treatment with angiotensin II (By similarity). Shuttles between the cytoplasm and nucleus via its association with PDPK1		
Tissue specificity	Isoform 1 is expressed in hematopo cells.	ietic cells. Isoform 2 is	s expressed in non-hematopoietic
Function	Catalytic activity:Protein tyrosine phosphate + H(2)O = protein tyrosine + phosphate.,Function:Plays a key role in hematopoiesis. This PTPase activity may directly link growth factor receptors and other signaling proteins through protein-tyrosine phosphorylation. The SH2 regions may interact with other cellular components to modulate its own phosphatase activity against interacting substrates. Together with MTUS1, induces UBE2V2 expression upon angiotensin II stimulation.,PTM:Phosphorylated on serine and tyrosine residues.,similarity:Belongs to the protein-tyrosine phosphatase family. Non- receptor class 2 subfamily.,similarity:Contains 1 tyrosine-protein phosphatase domain.,similarity:Contains 2 SH2 domains.,subcellular location:In neurons, translocates into the nucleus after treatment with angiotensin II.,subunit:Monomer. Interacts with MTUS1 (By similarity). Binds PTPNS1, LILRB1 and LILRB2. Interacts with FCRL2, FCRL3, FCRL4, CD300LF and CD84.,tissue specificity:Isoform 1 is expressed in hematopoietic cells while isoform 2 is expressed in non-hematopoietic cells.,		

Validation Data



Western blot detection of SHP-1 in Human tonsil,Daudi,Jurkat and Raji cell lysates using SHP-1 mouse mAb (1:1000 diluted).Predicted band size:67KDa.Observed band size:67KDa.



Immunoprecipitation analysis of Raji cell lysates using SHP-1 mouse mAb.

Contact information

Orders:	order.cn@immunoway.com
Support:	support.cn@immunoway.com
Telephone:	400-8787-807(China)
Website:	http://www.immunoway.com.cn
Address:	2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: SHP-1 Mouse mAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents