

#### www.immunoway.com.cn

# Smad1/9 (PTR2351) Mouse mAb

CatalogNo: YM4733

## Key Features

Host Species <ul> <li>Mouse</li> </ul>	Reactivity <ul> <li>Human,Mouse,Rat,Monkey,</li> </ul>	App • W
MW • 58-60kD (Observed)	Isotype • IgG2a,Kappa	

Applications

WB,IF,ELISA

#### **Recommended Dilution Ratios**

WB 1:500-2000 IF 1:100-500 ELISA 1:1000-5000

#### **Storage**

Storage\*-15°C to -25°C/1 year(Do not lower than -25°C)FormulationPBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA

#### **Basic Information**

Clonality Monoclonal

Clone Number PTR2351

#### Immunogen Information

 Immunogen
 Synthesized peptide derived from human Smad1/9 AA range: 400-465

**Specificity** This antibody detects endogenous levels of Smad1/9 protein.

## Target Information

Gene name SMAD1 SMAD9


Protein NameMothers against decapentaplegic homolog 1 (MAD homolog 1/9) (Mothers against DPP<br/>homolog 1/9) (JV4-1) (Mad-related protein 1) (SMAD family member 1) (SMAD 1/9) (Smad1)<br/>(hSMAD1) (Transforming growth factor-beta-signaling protein 1) (BSP-1)

Organism	Gene ID	UniProt ID
Human	<u>4086;</u>	<u>Q15797; O15198;</u>
Mouse	<u>17125;</u>	<u>P70340;</u>


**Tissue specificity** Ubiquitous. Highest expression seen in the heart and skeletal muscle.

**Function** Transcriptional modulator activated by BMP (bone morphogenetic proteins) type 1 receptor kinase. SMAD1 is a receptor-regulated SMAD (R-SMAD). SMAD1/OAZ1/PSMB4 complex mediates the degradation of the CREBBP/EP300 repressor SNIP1. May act synergistically with SMAD4 and YY1 in bone morphogenetic protein (BMP)-mediated cardiac-specific gene expression.

#### Validation Data



Whole cell lysates were separated by 10% SDS-PAGE, and the membrane was blotted with anti-Smad1/9(PTR2351) antibody. The HRP-conjugated Goat anti-Mouse IgG(H + L) antibody was used to detect the antibody. Lane 1: HepG2



Various whole cell lysates were separated by 10% SDS-PAGE, and the membrane was blotted with anti-Smad1/9(PTR2351) antibody. The HRP-conjugated Goat anti-Mouse IgG(H + L) antibody was used to detect the antibody. Lane 1: NIH-3T3 Lane 2: MDCK

## **Contact information**

Orders:	order.cn@immunoway.com
Support:	support.cn@immunoway.com
Telephone:	400-8787-807(China)
Website:	http://www.immunoway.com.cn
Address:	2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: Smad1/9 (PTR2351) Mouse mAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents