

#### www.immunoway.com.cn

# xCT (PT0398R) PT® Rabbit mAb

CatalogNo: YM8243 Recombinant R

## Key Features

Host Species

Rabbit

MW • 55kD (Calculated) 37kD (Observed) Reactivity

Human,Mouse,Rat,

Isotype

IgG,Kappa

Applications
• WB,IHC,IF,IP,ELISA

## Recommended Dilution Ratios

IHC 1:200-1:1000 WB 1:1000-1:5000 IF 1:200-1:1000 ELISA 1:5000-1:20000 IP 1:50-1:200,

### **Storage**

Storage*	-15°C to -25°C/1 year(Do not lower than -25°C)	
Formulation	PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA	

#### **Basic Information**

Clonality	Monoclonal
Clone Number	PT0398R

#### Immunogen Information

Specificity Endogenous

## Target Information

Gene name SLC7A11

**Protein Name** Cystine/glutamate transporter (Amino acid transport system xc-) (Calcium channel blocker resistance protein CCBR1) (Solute carrier family 7 member 11) (xCT)

	Organism	Gene ID	UniProt ID
	Human	<u>23657;</u>	<u>Q9UPY5;</u>
	Mouse	<u>26570;</u>	<u>Q9WTR6;</u>
Cellular Localization	Membrane		
Function	Sodium-independent, high-affinity exchange of anionic amino acids with high specificity for anionic form of cystine and glutamate.		


#### Validation Data




Human brain was stained with anti-xCT rabbit antibody



Mouse brain was stained with anti-xCT rabbit antibody



Rat brain was stained with anti-xCT rabbit antibody



Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-Anti-xCT antibody. The HRP-conjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody. Lane 1: unboiled HEK293 Predicted band size: 55kDa Observed band size: 37kDa

## **Contact information**

Orders:	order.cn@immunoway.com
Support:	support.cn@immunoway.com
Telephone:	400-8787-807(China)
Website:	http://www.immunoway.com.cn
Address:	2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: xCT (PT0398R) PT® Rabbit mAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents