

eNOS (Phospho Ser1177) (PT0906R) PT™ Rabbit mAb

CatalogNo: YM8264 **Recombinant** 

Key Features

Host Species

- Rabbit

Reactivity

- Human, Mouse, Rat

Applications

- WB, IHC, IF, IP, ELISA

MW

- 133kD (Calculated)
133kD (Observed)

Isotype

- IgG, Kappa

Storage

Storage* -15°C to -25°C/1 year (Do not lower than -25°C)

Formulation PBS, 50% glycerol, 0.05% Proclin 300, 0.05% BSA

Recommended Dilution Ratios

IHC 1:200-1:1000

WB 1:2000-1:10000

IF 1:200-1:1000

ELISA 1:5000-1:20000

IP 1:50-1:200

Basic Information

Clonality Monoclonal

Clone Number PT0906R

Immunogen Information


Immunogen The specific immunogen used to produce this antibody is proprietary information.

Specificity eNOS (Phospho Ser1177) Monoclonal Antibody detects endogenous levels of eNOS around the phosphorylation site of Ser1177 protein. The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following modification sequence (lowercase letters are modification sites):TQsFS


Target Information

Gene name	NOS3		
Protein Name	Nitric oxide synthase endothelial		
	Organism	Gene ID	UniProt ID
	Human	4846 ;	P29474 ;
	Mouse	18127 ;	P70313 ;
	Rat	24600 ;	Q62600 ;
Cellular Localization	Cell membrane. Membrane , caveola. Cytoplasm , cytoskeleton. Golgi apparatus. Specifically associates with actin cytoskeleton in the G2 phase of the cell cycle; which is favored by interaction with NOSIP and results in a reduced enzymatic activity.		
Tissue specificity	Platelets , placenta , liver and kidney.		
Function	Catalytic activity:L-arginine + n NADPH + n H (+) + m O (2) = citrulline + nitric oxide + n NADP (+) . ,cofactor:Binds 1 FAD. ,cofactor:Binds 1 FMN. ,cofactor:Heme group. ,cofactor:Tetrahydrobiopterin (BH4) . May stabilize the dimeric form of the enzyme. ,enzyme regulation:Stimulated by calcium/calmodulin. Inhibited by NOSIP and NOSTRIN. ,Function:Produces nitric oxide (NO) which is implicated in vascular smooth muscle relaxation through a cGMP-mediated signal transduction pathway. NO mediates vascular endothelial growth factor (VEGF) -induced angiogenesis in coronary vessels and promotes blood clotting through the activation of platelets. ,online information:Nitric oxide synthase entry ,polymorphism:Variation in NOS3 seem to be associated with susceptibility to coronary spasm. ,similarity:Belongs to the NOS family. ,similarity:Contains 1 FAD-binding FR-type domain. ,similarity:Contains 1 flavodoxin-like domain. ,subcellular location:Specifically associates with actin cytoskeleton in the G2 phase of the cell cycle; which is favored by interaction with NOSIP and results in a reduced enzymatic activity. ,subunit:Homodimer. Interacts with NOSIP and NOSTRIN. ,tissue specificity:Platelets , placenta , liver and kidney. ,		


Validation Data




Human kidney was stained with anti-eNOS (Phospho Ser1177) (PT0906R) Rabbit antibody



Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-eNOS (Phospho Ser1177) (PT0906R) antibody. The HRP-conjugated Goat anti-Rabbit IgG (H + L) antibody was used to detect the antibody. Lane 1: HUVEC-T1 Lane 2: HUVEC-T1 was treated with VEGF (10ng/ml) for 5 minutes Predicted band size: 133kDa Observed band size: 133kDa



Immunofluorescence analysis of A549. 1,primary Antibody (red) was diluted at 1:200 (4°C overnight). 2, Goat Anti Rabbit IgG (H&L) - Alexa Fluor 594 Secondary antibody was diluted at 1:1000 (room temperature, 50min).3, DAPI (blue) 10min.



Immunofluorescence analysis of HeLa cell. 1,NOS3 (phospho Ser1177) Antibody (green) was diluted at 1:200 (4°C overnight). 2, Goat Anti Rabbit IgG (H&L) - Alexa Fluor 488 Catalog:RS3211 was diluted at 1:1000 (room temperature, 50min). 3 DAPI (blue) 10min.

Contact information

Orders: order.cn@immunoway.com
 Support: support.cn@immunoway.com
 Telephone: 400-8787-807(China)
 Website: <http://www.immunoway.com.cn>
 Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:
eNOS (Phospho Ser1177) (PT0906R) PT™ Rabbit mAb