

ULK1 (Phospho Ser556) (PT0907R) PT® Rabbit mAb

CatalogNo: YM8654 Recombinant R

Key Features

Host Species

Rabbit

MW

Isotype

• 113kD (Calculated) 130kD (Observed) Human, Mouse, Rat

• IgG, Kappa

Reactivity

Applications
• WB,IF,IP,ELISA

Recommended Dilution Ratios

WB 1:2000-1:10000 IF 1:200-1:1000

ELISA 1:5000-1:20000

IP 1:50-1:200

Storage

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)

Formulation PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA

Basic Information

Clonality Monoclonal

Clone Number PT0907R

Immunogen Information

Specificity

ULK1 (Phospho Ser556) Monoclonal Antibody detects endogenous levels of ULK1 around the phosphorylation site of S556 protein. The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following modification sequence (lowercase letters are modification sites):LHsAP

| Target Information

Gene name ULK1 KIAA0722

Protein Name ULK1 (Ser556)

Organism	Gene ID	UniProt ID	
Human	<u>8408;</u>	<u>075385</u> ;	
Mouse	<u>22241;</u>	<u>070405;</u>	


Cellular Localization Cytoplasm, cytosol . Preautophagosomal structure . Under starvation conditions, is localized to puncate structures primarily representing the isolation membrane that sequesters a portion of the cytoplasm resulting in the formation of an autophagosome. .

Tissue specificity Ubiquitously expressed. Detected in the following adult tissues: skeletal muscle, heart, pancreas, brain, placenta, liver, kidney, and lung.

Function

Catalytic activity:ATP + a protein = ADP + a phosphoprotein.,Function:Involved in axon growth. Plays an essential role in neurite extension of cerebellar granule cells., similarity: Belongs to the protein kinase superfamily. Ser/Thr protein kinase family. APG1/unc-51/ULK1 subfamily., similarity: Contains 1 protein kinase domain., subunit: Interacts with GABARAP and GABARAPL2., tissue specificity: Ubiquitously expressed. Detected in the following adult tissues: skeletal muscle, heart, pancreas, brain, placenta, liver, kidney, and lung.,

Validation Data



Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-ULK1 (Phospho Ser556) (PT0907R) antibody. The HRP-conjugated Goat anti-Rabbit IgG (H + L) antibody was used to detect the antibody. Lane 1: C6 Lane 2: C6 was treated with oligomycin(0.5µM) for 30 minutes Predicted band size: 113kDa Observed band size: 130kDa

Contact information

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the OR code to access additional product information: **ULK1** (Phospho Ser556) (PT0907R) PT® Rabbit mAb

For Research Use Only. Not for Use in Diagnostic Procedures.	Antibody ELISA Kits Protein Reagents
	Immunoway - 3 / 3