

Raptor (Phospho Ser792) (PT1403R) PT™ Rabbit mAb

CatalogNo: YM9245 **Recombinant** 

Key Features

Host Species

- Rabbit

Reactivity

- Human, Mouse, Rat

Applications

- WB, IF, IP, ELISA

MW

- 149kD (Calculated)
150kD (Observed)

Isotype

- IgG, Kappa

Storage

Storage* -15°C to -25°C/1 year (Do not lower than -25°C)

Formulation PBS, 50% glycerol, 0.05% Proclin 300, 0.05% BSA

Recommended Dilution Ratios

WB 1:2000-1:10000

IF 1:200-1:1000

ELISA 1:5000-1:20000

IP 1:50-1:200

Basic Information

Clonality Monoclonal

Clone Number PT1403R

Immunogen Information


Immunogen Raptor (Phospho Ser792) (PT1403R) PT® Rabbit mAb

Specificity Raptor (Phospho Ser792) antibody detects endogenous levels of Human Mouse Rat Raptor (phospho-Ser792).The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following modification sequence (lowercase letters are modification sites):ASsYS

| Target Information

Gene name	RPTOR KIAA1303 RAPTOR		
Protein Name	Raptor (Ser792)		
	Organism	Gene ID	UniProt ID
	Human	57521;	Q8N122;
	Mouse		Q8K4Q0;
Cellular Localization	Cytoplasm. Lysosome. Cytoplasmic granule . Targeting to lysosomes depends on amino acid availability. In arsenite-stressed cells , accumulates in stress granules when associated with SPAG5 and association with lysosomes is drastically decreased.		
Tissue specificity	Highly expressed in skeletal muscle , and in a lesser extent in brain , lung , small intestine , kidney and placenta. Isoform 3 is widely expressed , with highest levels in nasal mucosa and pituitary and lowest in spleen.		
Function	Function:Participates in the FRAP1 pathway and associates in a near stoichiometric ratio with FRAP1 to form a nutrient-sensitive complex (NSC) . Plays a pivotal role as a scaffold protein in the FRAP1-signaling pathway and this interaction is essential for the catalyzed phosphorylation of EIF4EBP1. Has a positive role in nutrient-stimulated signaling to the downstream effector RPS6KB1. Under nutrient-deprived conditions , serves as a negative regulator of FRAP1 kinase activity. Regulation of the interaction with FRAP1 is a critical mechanism by which cells coordinate the rate of cell growth and maintenance of cell size with different environmental conditions. ,miscellaneous:Rapamycin destabilizes the interaction with FRAP1 regardless of nutrient availability , and its potency for dissociation is increased under nutrient-rich conditions. This action uncouples FRAP1 from its substrates , and inhibits FRAP1 signaling without altering its intrinsic catalytic activity. ,similarity:Belongs to the WD repeat RAPTOR family. ,similarity:Contains 7 WD repeats. ,subunit:Binds directly 4EBP1 and RPS6KB1 independently of its association with FRAP1. Binds preferentially to poorly or non-phosphorylated form of EIF4EBP1 , and this binding is critical to the ability of FRAP1 to catalyze phosphorylation. Complex with FRAP1 physically interacts under both leucine-rich and -poor conditions and therefore in at least two nutrient-determined states with different stability. ,tissue specificity:Highly expressed in skeletal muscle , and in a lesser extent in brain , lung , small intestine , kidney and placenta. ,		

| Validation Data



Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-Raptor (Phospho Ser792) (PT1403R) antibody. The HRP-conjugated Goat anti-Rabbit IgG (H + L) antibody was used to detect the antibody. Lane 1: HEK293 Lane 2: HEK293 was treated with Oligomycin (0.5 μ M) for 30 minutes Lane 3: C2C12 Lane 4: C2C12 was treated with Oligomycin (0.5 μ M) for 30 minutes Predicted band size: 149kDa Observed band size: 150kDa

Contact information

Orders: order.cn@immunoway.com
 Support: support.cn@immunoway.com
 Telephone: 400-8787-807(China)
 Website: <http://www.immunoway.com.cn>
 Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:
Raptor (Phospho Ser792) (PT1403R) PT™ Rabbit mAb

For Research Use Only. Not for Use in Diagnostic Procedures.

[Antibody](#) | [ELISA Kits](#) | [Protein](#) | [Reagents](#)