**Applications** 

WB,ELISA



# FNBP4 Rabbit pAb

CatalogNo: YN0718

## **Key Features**

Host Species Reactivity

RabbitHuman, Mouse

MW Isotype
• 111kD (Observed) IgG

### Recommended Dilution Ratios

WB 1:500-2000 ELISA 1:5000-20000

## Storage

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

### **Basic Information**

**Clonality** Polyclonal

# Immunogen Information

**Immunogen** Synthesized peptide derived from part region of human protein

**Specificity** FNBP4 Polyclonal Antibody detects endogenous levels of protein.

## | Target Information

Gene name FNBP4 FBP30 KIAA1014

#### **Protein Name**

Formin-binding protein 4 (Formin-binding protein 30)

Organism	Gene ID	UniProt ID	
Human	<u>23360</u> ;	<u>Q8N3X1;</u>	
Mouse		<u>Q6ZQ03;</u>	

#### Cellular Localization


nucleoplasm,

**Tissue specificity** Highly expressed in the eye.

#### **Function**

Domain:These WW domains interact with Arg/Gly-rich-flanked Pro-rich domains found in several WW domain-binding proteins (WBPs). The N-terminal WW domain has the greater ligand-binding ability.,PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Contains 2 WW domains.,subunit:Binds FMN1. Interacts with the Arg/Gly-rich-flanked Pro-rich of KHDRBS1/SAM68. Arginine methylation in these regions has no effect on this binding.,

### **| Validation Data**



Western Blot analysis of Hela lysis, using primary antibody at 1:1000 dilution. Secondary antibody(catalog#:RS23920) was diluted at 1:10000

# | Contact information

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **FNBP4 Rabbit pAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents