

CENPO Rabbit pAb

CatalogNo: YN1581

Key Features

| Host Species • Rabbit | Reactivity Human,Mouse | Applications WB,ELISA |
|--------------------------|--------------------------------------------|-------------------------------------------|
| MW • 33kD (Observed) | lsotype • lgG | |

Recommended Dilution Ratios

WB 1:500-2000 ELISA 1:5000-20000

Storage

| Storage* | -15°C to -25°C/1 year(Do not lower than -25°C) |
|-------------|-------------------------------------------------------------------------|
| Formulation | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. |

Basic Information

Clonality Polyclonal

Immunogen Information

ImmunogenSynthesized peptide derived from human protein . at AA range: 220-300SpecificityCENPO Polyclonal Antibody detects endogenous levels of protein.

Target Information


Gene name CENPO ICEN36 MCM21R

Protein Name Centromere protein O (CENP-O) (Interphase centromere complex protein 36)

| Organism | Gene ID | UniProt ID | |
|----------|---------------|----------------|--|
| Human | <u>79172;</u> | <u>Q9BU64;</u> | |
| Mouse | | <u>Q8K015;</u> | |

- CellularNucleus. Chromosome, centromere. Chromosome, centromere, kinetochore. The CENPA-
CAD complex is probably recruited on centromeres by the CENPA-NAC complex.
- Tissue specificity Lung, Placenta,
- Function Function: Component of the CENPA-CAD (nucleosome distal) complex, a complex recruited to centromeres which is involved in assembly of kinetochore proteins, mitotic progression and chromosome segregation. May be involved in incorporation of newly synthesized CENPA into centromeres via its interaction with the CENPA-NAC complex., subcellular location:Localizes exclusively in the centromeres. The CENPA-CAD complex is probably recruited on centromeres by the CENPA-NAC complex., subunit:Component of the CENPA-CAD complex, composed of CENPI, CENPK, CENPL, CENPO, CENPP, CENPQ, CENPR and CENPS. The CENPA-CAD complex interacts with the CENPA-NAC complex, at least composed of CENPA, CENPC, CENPH, CENPH, CENPT and MLF1IP/CENPU.,

Validation Data



Western blot analysis of lysates from SW480 cells, primary antibody was diluted at 1:1000, 4° over night

Contact information

| order.cn@immunoway.com |
|------------------------------------------|
| support.cn@immunoway.com |
| 400-8787-807(China) |
| http://www.immunoway.com.cn |
| 2200 Ringwood Ave San Jose, CA 95131 USA |
| |



Please scan the QR code to access additional product information: **CENPO Rabbit pAb** For Research Use Only. Not for Use in Diagnostic Procedures.

Immunoway - 3 / 3