

#### www.immunoway.com.cn

# M4K2 Rabbit pAb

CatalogNo: YN1595

# Key Features

Host Species <ul> <li>Rabbit</li> </ul>	Reactivity • Human,Mouse	<ul><li>Applications</li><li>WB,ELISA</li></ul>
MW • 90kD (Observed)	Isotype • IgG	

#### **Recommended Dilution Ratios**

WB 1:500-2000 ELISA 1:5000-20000

### **Storage**

Storage*	-15°C to -25°C/1 year(Do not lower than -25°C)
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

### **Basic Information**

Clonality Polyclonal

## Immunogen Information

ImmunogenSynthesized peptide derived from human protein . at AA range: 400-480SpecificityM4K2 Polyclonal Antibody detects endogenous levels of protein.

### **Target Information**

Gene name MAP4K2 GCK RAB8IP

Protein Name	Mitogen-activated protein kinase kinase kinase kinase 2 (B lymphocyte serine/threonine- protein kinase) (Germinal center kinase) (GC kinase) (MAPK/ERK kinase kinase kinase 2) (MEK kinase kinase 2) (MEKKK 2) (Rab8-interacting protein)			
	Organism	Gene ID	UniProt ID	
	Human	<u>5871;</u>	<u>Q12851;</u>	
	Mouse		<u>Q61161;</u>	
Cellular Localization	Cytoplasm . Basolateral cell membrane ; Peripheral membrane protein . Golgi apparatus membrane ; Peripheral membrane protein .			
Tissue specificity	Highly expressed in germinal center but not mantle zone B-cells. Also expressed in lung, brain and placenta and at lower levels in other tissues examined.			
Function	Catalytic activity:ATP + a protein = ADP + a phosphoprotein.,cofactor:Magnesium.,Function:Enhances MAP3K1 oligomerization, which may relieve amino-terminal mediated MAP3K1 autoinhibition and lead to activation following autophosphorylation. May play a role in the regulation of vesicle targeting or fusion.,sequence Caution:Contaminating sequence. Sequence of unknown origin in the N- terminal part.,similarity:Belongs to the protein kinase superfamily. STE Ser/Thr protein kinase family. STE20 subfamily.,similarity:Contains 1 CNH domain.,similarity:Contains 1 protein kinase domain.,subunit:Interacts with TRAF2, MAP3K1 and RAB8A.,tissue			

in lung, brain and placenta and at lower levels in other tissues examined.,

specificity: Highly expressed in germinal center but not mantle zone B-cells. Also expressed

# Validation Data

# **Contact information**

Orders:	order.cn@immunoway.com
Support:	support.cn@immunoway.com
Telephone:	400-8787-807(China)
Website:	http://www.immunoway.com.cn
Address:	2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **M4K2 Rabbit pAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents