

MER34 Rabbit pAb

CatalogNo: YN3151

Key Features

Host Species Rabbit 	Reactivity • Human	Applications WB
MW • 60kD (Observed)	Isotype • IgG	

Recommended Dilution Ratios

WB 1:500-2000

Storage

Storage*	-15°C to -25°C/1 year(Do not lower than -25°C)
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information


Immunogen	Synthesized peptide derived from human MER34 AA range: 391-441
Specificity	This antibody detects endogenous levels of MER34 at Human

Target Information

Gene name ERVMER34-1 LP9056

	Organism	Gene ID	UniProt ID	
	Human	<u>100288413;</u>	<u>Q9H9K5;</u>	
Cellular Localization	[Endogenous retroviral envelope protein HEMO]: Cell membrane ; Single-pass type I membrane protein . This uncleaved form present at the cell surface represents the major form (PubMed:28739914); [Endogenous retroviral envelope protein HEMO, secreted form]: Secreted . This secreted form, which is released in the extracellular medium following cleavage, constitutes a minor form (PubMed:28739914)			
Tissue specificity	Expressed at high level in the placenta and stem cells (at protein level) (PubMed:28739914). Also expressed in the kidney but at a lower level (PubMed:28739914). Endogenous retroviral envelope protein HEMO, secreted form: Present in the blood of pregnant women (at protein level) (PubMed:28739914).			
Function	Function:Retroviral envelope proteins during early infection. Endogenous er original function during evolution.,sim envelope protein family.,	nvelope proteins may have kept,	lost or modified their	

Validation Data



Western blot analysis of lysates from Hela cells, primary antibody was diluted at 1:1000, 4°over night

Contact information

order.cn@immunoway.com
support.cn@immunoway.com
400-8787-807(China)
http://www.immunoway.com.cn
2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **MER34 Rabbit pAb** For Research Use Only. Not for Use in Diagnostic Procedures.

Immunoway - 3 / 3