

www.immunoway.com.cn

EPPI Rabbit pAb

CatalogNo: YN3457

Key Features

Host SpeciesReactivityApplications• Rabbit• Human,Mouse,Rat• WBMWIsotype• 15kD (Calculated)• IgG

Recommended Dilution Ratios

WB 1:500-2000

Storage

Storage*	-15°C to -25°C/1 year(Do not lower than -25°C)
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen	Synthesized peptide derived from human EPPI AA range: 55-105
Specificity	This antibody detects endogenous levels of EPPI at Human/Mouse/Rat

Target Information


Gene name EPPIN SPINLW1 WAP7 WFDC7

Protein Name EPPI

	Organism	Gene ID	UniProt ID	
	Human	<u>100526773;</u>	<u>095925;</u>	
	Mouse	<u>75526;</u>	<u>Q9DA01;</u>	
	Rat	<u>685161;</u>	<u>D4A2Z2;</u>	
Cellular Localization	[Isoform 1]: Secreted. Cell surface. Bound to the surface of testicular and on the head and tail of ejaculate spermatozoa.			
	In testis, expressed and secreted by Sertoli cells, appearing on the surface of testicular and ejaculate spermatozoa. Expressed in the spermatogonia and the earliest preleptotene spermatocytes. In the epididymis, is expressed and secreted by epithelial cells and covers the surface of epididymal spermatozoa and ciliated epithelial cells (at protein level). Expressed specifically in epididymis and testis. Isoform 2 is expressed only in the epididymis. Weak expression is detected in myoid cells as well as spermatogenic cells.			
Function	similarity.Contains 1 BPTI/Ku	nitz inhibitor domain similari	tv:Contains 1 WAP domain tissue	

Function similarity:Contains 1 BPTI/Kunitz inhibitor domain.,similarity:Contains 1 WAP domain.,tissue specificity:Expressed in epididymis and testis.,tissue specificity:Ubiquitously expressed, but the highest levels are found in epididymis, testis and trachea.,

Validation Data



Western blot analysis of lysates from MDA-MB cells, primary antibody was diluted at 1:1000, 4° over night

Contact information

Orders:	order.cn@immunoway.com
Support:	support.cn@immunoway.com
Telephone:	400-8787-807(China)
Website:	http://www.immunoway.com.cn
Address:	2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **EPPI Rabbit pAb** For Research Use Only. Not for Use in Diagnostic Procedures.

Immunoway - 3 / 3