

www.immunoway.com.cn

UPP2 Rabbit pAb

CatalogNo: YN3594

Key Features

Host Species Rabbit 	Reactivity • Human,Mouse	Applications WB
MW • 35kD (Calculated)	Isotype • IgG	

Recommended Dilution Ratios

WB 1:500-2000

Storage

Storage*	-15°C to -25°C/1 year(Do not lower than -25°C)
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen	Synthesized peptide derived from human UPP2 AA range: 164-214
Specificity	This antibody detects endogenous levels of UPP2 at Human/Mouse

Target Information

Gene name UPP2

Protein Name UPP2

Organism	Gene ID	UniProt ID
Human	<u>151531;</u>	<u>095045;</u>
Mouse	<u>76654;</u>	<u>Q8CGR7;</u>


Cellular cytoplasm,cytosol,type III intermediate filament,

Localization

Tissue specificity Predominantly expressed in kidney.

FunctionCatalytic activity:Uridine + phosphate = uracil + alpha-D-ribose 1-
phosphate.,Function:Catalyzes the reversible phosphorylytic cleavage of uridine and
deoxyuridine to uracil and ribose- or deoxyribose-1-phosphate. The produced molecules are
then utilized as carbon and energy sources or in the rescue of pyrimidine bases for
nucleotide synthesis. Shows substrate specificity and accept uridine, deoxyuridine, and
thymidine as well as the two pyrimidine nucleoside analogs 5-fluorouridine and 5-fluoro-2(')-
deoxyuridine as substrates.,pathway:Pyrimidine metabolism; UMP biosynthesis via salvage
pathway; uracil from uridine (phosphorylase route): step 1/1.,similarity:Belongs to the
PNP/UDP phosphorylase family.,tissue specificity:Predominantly expressed in kidney.,

Validation Data



Western blot analysis of lysates from VEC cells, primary antibody was diluted at 1:1000, 4°over night

Contact information

order.cn@immunoway.com
support.cn@immunoway.com
400-8787-807(China)
http://www.immunoway.com.cn
2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **UPP2 Rabbit pAb** For Research Use Only. Not for Use in Diagnostic Procedures.

Immunoway - 3 / 3