

#### www.immunoway.com.cn

# AP1M2 Rabbit pAb

CatalogNo: YN3711

# Key Features

Host Species <ul> <li>Rabbit</li> </ul>	<ul><li>Reactivity</li><li>Human,Mouse</li></ul>	Applications • WB
MW • 47kD (Calculated)	Isotype • IgG	

#### **Recommended Dilution Ratios**

WB 1:500-2000

#### **Storage**

Storage*	-15°C to -25°C/1 year(Do not lower than -25°C)
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

### **Basic Information**

Clonality Polyclonal

#### Immunogen Information

Immunogen	Synthesized peptide derived from human AP1M2 AA range: 117-167
Specificity	This antibody detects endogenous levels of AP1M2 at Human/Mouse

# Target Information

Gene name AP1M2

Organism	Gene ID	UniProt ID
Human	<u>10053;</u>	<u>Q9Y6Q5;</u>
Mouse	<u>11768;</u>	<u>Q9WVP1;</u>

# CellularGolgi apparatus. Cytoplasmic vesicle, clathrin-coated vesicle membrane; PeripheralLocalizationmembrane protein; Cytoplasmic side. Component of the coat surrounding the cytoplasmic<br/>face of coated vesicles located at the Golgi complex.

Function Function:Subunit of clathrin-associated adaptor protein complex 1 that plays a role in protein sorting in the trans-Golgi network (TGN) and endosomes. The AP complexes mediate the recruitment of clathrin to membranes and the recognition of sorting signals within the cytosolic tails of transmembrane cargo molecules.,PTM:Phosphorylation of membrane-bound AP1M1/AP1M2 increases its affinity for sorting signals.,similarity:Belongs to the adaptor complexes medium subunit family.,similarity:Contains 1 MHD (mu homology) domain.,subcellular location:Component of the coat surrounding the cytoplasmic face of coated vesicles located at the Golgi complex.,subunit:Adaptor protein complex 1 (AP-1) is an heterotetramer composed of two large adaptins (gamma-type subunit AP1G1 and beta-type subunit AP1B1), a medium adaptin (mu-type subunit AP1M1 or AP1M2) and a small adaptin (sigma-type subunit AP1S1 or AP1S2 or AP1S3).,

# Validation Data



Western blot analysis of lysates from 293T cells, primary antibody was diluted at 1:1000, 4° over night

# **Contact information**

order.cn@immunoway.com
support.cn@immunoway.com
400-8787-807(China)
http://www.immunoway.com.cn
2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **AP1M2 Rabbit pAb**  For Research Use Only. Not for Use in Diagnostic Procedures.

Immunoway - 3 / 3