

## Vimentin (Phospho Tyr61) Rabbit pAb

CatalogNo: YP0275

### Key Features

#### Host Species

- Rabbit

#### Reactivity

- Human, Mouse, Rat

#### Applications

- WB, ELISA

#### MW

- 57kD (Observed)

#### Isotype

- IgG

### Storage

**Storage\*** -15°C to -25°C/1 year (Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

### Recommended Dilution Ratios

**WB 1:500-1:2000**

**ELISA 1:10000**

**Not yet tested in other applications.**

### Basic Information

**Clonality** Polyclonal

### Immunogen Information

**Immunogen** Synthesized phospho-peptide around the phosphorylation site of human Vimentin (phospho Tyr61)

**Specificity** Phospho-Vimentin (Y61) Polyclonal Antibody detects endogenous levels of Vimentin protein only when phosphorylated at Y61. The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following modification sequence (lowercase letters are modification sites):GVyAT

## Target Information

**Gene name** VIM

**Protein Name** Vimentin


Organism	Gene ID	UniProt ID
Human	<a href="#">7431</a> ;	<a href="#">P08670</a> ;
Mouse	<a href="#">22352</a> ;	<a href="#">P20152</a> ;
Rat	<a href="#">81818</a> ;	<a href="#">P31000</a> ;

**Cellular Localization** Cytoplasm . Cytoplasm , cytoskeleton . Nucleus matrix . Cell membrane .


**Tissue specificity** Highly expressed in fibroblasts , some expression in T- and B-lymphocytes , and little or no expression in Burkitt's lymphoma cell lines. Expressed in many hormone-independent mammary carcinoma cell lines.

**Function** Function:Vimentins are class-III intermediate filaments found in various non-epithelial cells , especially mesenchymal cells. ,online information:Vimentin entry ,PTM:One of the most prominent phosphoproteins in various cells of mesenchymal origin. Phosphorylation is enhanced during cell division , at which time vimentin filaments are significantly reorganized. ,sequence Caution:Intron retention. ,similarity:Belongs to the intermediate filament family. ,subunit:Homopolymer. Interacts with HCV core protein. Interacts with LGSN and SYNM. ,tissue specificity:Highly expressed in fibroblasts , some expression in T- and B-lymphocytes , and little or no expression in Burkitt's lymphoma cell lines. Expressed in many hormone-independent mammary carcinoma cell lines. ,

## Validation Data



Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using Vimentin (Phospho-Tyr61) Antibody



Western blot analysis of lysate from Jurkat cells, using phospho-Vimentin (Phospho-Tyr61) antibody.

## Contact information

Orders: [order.cn@immunoway.com](mailto:order.cn@immunoway.com)  
Support: [support.cn@immunoway.com](mailto:support.cn@immunoway.com)  
Telephone: 400-8787-807(China)  
Website: <http://www.immunoway.com.cn>  
Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:  
**Vimentin (Phospho Tyr61) Rabbit pAb**

For Research Use Only. Not for Use in Diagnostic Procedures.

[Antibody](#) | [ELISA Kits](#) | [Protein](#) | [Reagents](#)