

WASP (Phospho Tyr290) Rabbit pAb

CatalogNo: YP0679

Key Features

Host Species

- Rabbit

Reactivity

- Human, Mouse

Applications

- WB, IHC, IF, ELISA

MW

- 60kD (Observed)

Isotype

- IgG

Storage

Storage* -15°C to -25°C/1 year (Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Recommended Dilution Ratios

WB 1:500-1:2000

IHC 1:100-1:300

ELISA 1:5000

IF 1:50-200

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen The antiserum was produced against synthesized peptide derived from human WASP around the phosphorylation site of Tyr290. AA range:256-305

Specificity

Phospho-WASP (Y290) Polyclonal Antibody detects endogenous levels of WASP protein only when phosphorylated at Y290. The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following modification sequence (lowercase letters are modification sites):LlyDF

Target Information

Gene name WAS

Protein Name Wiskott-Aldrich syndrome protein


Organism	Gene ID	UniProt ID
Human	7454;	P42768;
Mouse	22376;	P70315;

Cellular Localization Cytoplasm , cytoskeleton . Nucleus .


Tissue specificity Expressed predominantly in the thymus. Also found , to a much lesser extent , in the spleen.

Function Disease:Defects in WAS are a cause of X-linked severe congenital neutropenia (XLN) [MIM:300299]. XLN is an X-linked immunodeficiency syndrome characterized by recurrent major bacterial infections , severe congenital neutropenia , and monocytopenia. ,Disease:Defects in WAS are the cause of thrombocytopenia type 1 (THC1) [MIM:313900]. Thrombocytopenia is defined by a decrease in the number of platelets in circulating blood , resulting in the potential for increased bleeding and decreased ability for clotting. ,Disease:Defects in WAS are the cause of Wiskott-Aldrich syndrome (WAS) [MIM:301000]; also known as eczema-thrombocytopenia-immunodeficiency syndrome. WAS is an X-linked recessive immunodeficiency characterized by eczema , thrombocytopenia , recurrent infections , and bloody diarrhea. Death usually occurs before age 10. ,Domain:The CRIB (Cdc42/Rac-interactive-binding) region binds to the C-terminal WH2 domain in the autoinhibited state of the protein. Binding of Rho-type GTPases to the CRIB induces a conformation change and leads to activation. ,Domain:The WH1 (Wasp homology 1) domain may bind a Pro-rich ligand. ,Function:Effector protein for Rho-type GTPases , providing a link with the Arp2/3 complex that regulates the structure and dynamics of the actin cytoskeleton. Important for efficient actin polymerization. Possible regulator of lymphocyte and platelet function. ,online information:WAS mutation db ,online information:Wiskott-Aldrich syndrome protein entry ,similarity:Contains 1 CRIB domain. ,similarity:Contains 1 WH1 domain. ,similarity:Contains 1 WH2 domain. ,subunit:Binds to CDC42 , RAC , NCK , FYN , SRC kinase FGR , BTK , ABL , PSTPIP1 , WIP , and to the p85 subunit of PLC-gamma. Binds the Arp2/3 complex. ,tissue specificity:Expressed predominantly in the thymus. Also found , to a much lesser extent , in the spleen. ,


Validation Data



Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using WASP (Phospho-Tyr290) Antibody



Immunohistochemistry analysis of paraffin-embedded human brain, using WASP (Phospho-Tyr290) Antibody. The picture on the right is blocked with the phospho peptide.



Western blot analysis of lysates from HepG2 cells, using WASP (Phospho-Tyr290) Antibody. The lane on the right is blocked with the phospho peptide.

Contact information

Orders: order.cn@immunoway.com
Support: support.cn@immunoway.com
Telephone: 400-8787-807(China)
Website: <http://www.immunoway.com.cn>
Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:
WASP (Phospho Tyr290) Rabbit pAb

For Research Use Only. Not for Use in Diagnostic Procedures.

[Antibody](#) | [ELISA Kits](#) | [Protein](#) | [Reagents](#)