

## WAVE1 (Phospho Tyr125) Rabbit pAb

CatalogNo: YP0680 **Orthogonal Validated** 

### Key Features

#### Host Species

- Rabbit

#### Reactivity

- Human, Mouse, Rat

#### Applications

- WB, IHC, IF, ELISA

#### MW

- 70kD (Observed)

#### Isotype

- IgG

### Storage

**Storage\*** -15°C to -25°C/1 year (Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

### Recommended Dilution Ratios

**WB 1:500-1:2000**

**IHC 1:100-1:300**

**IF 1:200-1:1000**

**ELISA 1:5000**

**Not yet tested in other applications.**

### Basic Information

**Clonality** Polyclonal

### Immunogen Information

**Immunogen** The antiserum was produced against synthesized peptide derived from human WAVE1 around the phosphorylation site of Tyr125. AA range:91-140

## Specificity

Phospho-WAVE1 (Y125) Polyclonal Antibody detects endogenous levels of WAVE1 protein only when phosphorylated at Y125. The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following modification sequence (lowercase letters are modification sites):ETyDV

## Target Information

**Gene name** WASF1

**Protein Name** Wiskott-Aldrich syndrome protein family member 1

| Organism | Gene ID                  | UniProt ID               |
|----------|--------------------------|--------------------------|
| Human    | <a href="#">8936</a> ;   | <a href="#">Q92558</a> ; |
| Mouse    | <a href="#">83767</a> ;  | <a href="#">Q8R5H6</a> ; |
| Rat      | <a href="#">294568</a> ; | <a href="#">Q5BJU7</a> ; |

### Cellular Localization


Cytoplasm , cytoskeleton . Cell junction , synapse . Cell junction , focal adhesion . Dot-like pattern in the cytoplasm. Concentrated in Rac-regulated membrane-ruffling areas (PubMed:9889097) . Partial translocation to focal adhesion sites might be mediated by interaction with SORBS2 (PubMed:18559503) . In neurons , colocalizes with activated NTRK2 after BDNF addition in endocytic sites through the association with TMEM108 (By similarity) . .

**Tissue specificity** Highly expressed in brain. Lowly expressed in testis , ovary , colon , kidney , pancreas , thymus , small intestine and peripheral blood.


### Function

Domain: Binds the Arp2/3 complex through the C-terminal region and actin through verprolin homology (VPH) domain. ,Function: Downstream effector molecules involved in the transmission of signals from tyrosine kinase receptors and small GTPases to the actin cytoskeleton. ,similarity: Belongs to the SCAR/WAVE family. ,similarity: Contains 1 WH2 domain. ,subcellular location: Dot-like pattern in the cytoplasm. Concentrated in Rac-regulated membrane-ruffling areas. ,subunit: Component of the WAVE1 complex composed of ABI2 , CYFIP2 , C3orf10/HSPC300 , NCKAP1 and WASF1/WAVE1. CYFIP2 binds to activated RAC1 which causes the complex to dissociate , releasing activated WASF1. The complex can also be activated by NCK1 (By similarity) . Binds actin and the Arp2/3 complex. Interacts with BAIAP2. ,tissue specificity: Highly expressed in brain. Lowly expressed in testis , ovary , colon , kidney , pancreas , thymus , small intestine and peripheral blood. ,


## Validation Data



Western Blot analysis of 3T3 cells using Phospho-WAVE1 (Y125) Polyclonal Antibody



Immunohistochemistry analysis of paraffin-embedded human colon carcinoma, using WAVE1 (Phospho-Tyr125) Antibody. The picture on the right is blocked with the phospho peptide.



Western blot analysis of lysates from NIH/3T3 cells treated with Insulin 0.01U/ml 15', using WAVE1 (Phospho-Tyr125) Antibody. The lane on the right is blocked with the phospho peptide.

## Contact information

Orders: order.cn@immunoway.com  
 Support: support.cn@immunoway.com  
 Telephone: 400-8787-807(China)  
 Website: <http://www.immunoway.com.cn>  
 Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:  
**WAVE1 (Phospho Tyr125) Rabbit pAb**