

Gab2 (Phospho Ser623) Rabbit pAb

CatalogNo: YP0818 **Orthogonal Validated** 

Key Features

Host Species

- Rabbit

Reactivity

- Human, Mouse, Rat

Applications

- WB, IHC, IF, ELISA

MW

- 80kD (Observed)

Isotype

- IgG

Storage

Storage* -15°C to -25°C/1 year (Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Recommended Dilution Ratios

WB 1:500-1:2000

IHC 1:100-1:300

ELISA 1:5000

IF 1:50-200

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen The antiserum was produced against synthesized peptide derived from human Gab2 around the phosphorylation site of Ser623. AA range:589-638

Specificity

Phospho-Gab 2 (S623) Polyclonal Antibody detects endogenous levels of Gab 2 protein only when phosphorylated at S623. The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following modification sequence (lowercase letters are modification sites):PSsPS

Target Information

Gene name GAB2

Protein Name GRB2-associated-binding protein 2


Organism	Gene ID	UniProt ID
Human	9846;	Q9UQC2;
Mouse		Q9Z1S8;
Rat	84477;	Q9EQH1;

Cellular Localization Cytoplasm . Cell membrane .


Tissue specificity Brain ,Clones donated by Kazusa DNA Research Inst. ,

Function PTM:Dephosphorylated by PTPN11. ,PTM:Phosphorylated on tyrosine residue (s) by the thrombopoietin receptor (TPOR) , stem cell factor receptor (SCFR) , and T-cell and B-cell antigen receptors , gp130 , IL-2R and IL-3R. ,similarity:Belongs to the GAB family. ,similarity:Contains 1 PH domain. ,subunit:Interacts with GRB2 , PI-3 kinase and with other SH2-containing proteins. ,

Validation Data



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma, using Gab2 (Phospho-Ser623) Antibody. The picture on the right is blocked with the phospho peptide.



Western blot analysis of lysates from HepG2 cells treated with PMA 125ng/ml 30', using Gab2 (Phospho-Ser623) Antibody. The lane on the right is blocked with the phospho peptide.

Contact information

Orders: order.cn@immunoway.com
 Support: support.cn@immunoway.com
 Telephone: 400-8787-807(China)
 Website: <http://www.immunoway.com.cn>
 Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:
Gab2 (Phospho Ser623) Rabbit pAb

For Research Use Only. Not for Use in Diagnostic Procedures.

[Antibody](#) | [ELISA Kits](#) | [Protein](#) | [Reagents](#)