

www.immunoway.com.cn

Net (Phospho Ser357) Rabbit pAb

CatalogNo: YP0920 Orthogonal Validated 💽

Key Features

| Host Species Rabbit | ReactivityHuman, Mouse, Monkey | Applications WB,IHC,IF,ELISA |
|---|---|--|
| MW • 38kD (Observed) | Isotype • IgG | |

Recommended Dilution Ratios

WB 1:500-1:2000 IHC 1:100-1:300 IF 1:200-1:1000 ELISA 1:20000 Not yet tested in other applications.

Storage

Storage*-15°C to -25°C/1 year(Do not lower than -25°C)FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

ImmunogenThe antiserum was produced against synthesized peptide derived from human Elk3
around the phosphorylation site of Ser357. AA range:323-372

Specificity

Phospho-Net (S357) Polyclonal Antibody detects endogenous levels of Net protein only when phosphorylated at S357.The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following modification sequence (lowercase letters are modification sites):SLsPV

Target Information

| Gene name | ELK3 | | | |
|--------------------------|--|---------------|----------------|--|
| Protein Name | ETS domain-containing protein Elk-3 | | | |
| | Organism | Gene ID | UniProt ID | |
| | Human | <u>2004;</u> | <u>P41970;</u> | |
| | Mouse | <u>13713;</u> | <u>P41971;</u> | |
| Cellular Localization | Nucleus. | | | |
| Tissue specificity | Brain,Epithelium,Placenta, | | | |
| Function | Function:May be a negative regulator of transcription, but can activate transcription when coexpressed with Ras, Src or Mos. Forms a ternary complex with the serum response factor and the ETS and SRF motifs of the Fos serum response element.,similarity:Belongs to the ETS family.,similarity:Contains 1 ETS DNA-binding domain.,subunit:Interacts with CTBP1., | | | |

Validation Data



Western Blot analysis of COLO cells using Phospho-Net (S357) Polyclonal Antibody



15', using Elk3 (Phospho-Ser357) Antibody. The lane on the right is blocked with the phospho peptide.

Western blot analysis of lysates from COLO205 cells treated with serum 20%

Immunofluorescence analysis of HeLa cells, using Elk3 (Phospho-Ser357) Antibody. The picture on the right is blocked with the phospho peptide.

Immunohistochemistry analysis of paraffin-embedded human brain, using Elk3 (Phospho-Ser357) Antibody. The picture on the right is blocked with the

Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using Elk3 (Phospho-Ser357) Antibody

Contact information

- Orders: order.cn@immunoway.com
- Support: support.cn@immunoway.com
- Telephone: 400-8787-807(China)
- Website: http://www.immunoway.com.cn

-- 26 -- 19 (kD)

Address: 2200 Ringwood Ave San Jose, CA 95131 USA

phospho peptide.





0.579

0.700

0 600

0.500 0.400 0.300 0.200



COLO COLO