

Ephrin-B1/2 (Phospho Tyr329) Rabbit pAb

CatalogNo: YP1066

Key Features

Host Species

- Rabbit

Reactivity

- Human,Mouse,Rat

Applications

- IHC,IF,ELISA

MW

- 37kD (Calculated)

Isotype

- IgG

Storage

Storage* -15°C to -25°C/1 year (Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Recommended Dilution Ratios

IHC 1:100-1:300

ELISA 1:10000

IF 1:50-200

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen The antiserum was produced against synthesized peptide derived from human Ephrin B1/B2 around the phosphorylation site of Tyr329. AA range:295-344

Specificity Phospho-Ephrin-B1/2 (Y329) Polyclonal Antibody detects endogenous levels of Ephrin-B1/2 protein only when phosphorylated at Y329. The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following modification sequence (lowercase letters are modification sites):PVyIV

Target Information

Gene name EFNB1/EFNB2

Protein Name Ephrin-B1/2

Organism	Gene ID	UniProt ID
Human	1947 ; 1948 ;	P98172 ; P52799 ;
Mouse	13641 ; 13642 ;	
Rat		P52796 ;

Cellular Localization

Cell membrane ; Single-pass type I membrane protein . Membrane raft . May recruit GRIP1 and GRIP2 to membrane raft domains. ; [Ephrin-B1 C-terminal fragment]: Cell membrane ; Single-pass type I membrane protein . ; [Ephrin-B1 intracellular domain]: Nucleus . Colocalizes with ZHX2 in the nucleus. .


Tissue specificity

Widely expressed (PubMed:8070404 , PubMed:7973638) . Detected in both neuronal and non-neuronal tissues (PubMed:8070404 , PubMed:7973638) . Seems to have particularly strong expression in retina , sciatic nerve , heart and spinal cord (PubMed:7973638) .


Function

Disease:Defects in EFNB1 are a cause of craniofrontonasal syndrome (CFNS) [MIM:304110]; also known as craniofrontonasal dysplasia (CFND) . CFNS is an X-linked inherited syndrome characterized by hypertelorism , coronal synostosis with brachycephaly , downslanting palpebral fissures , clefting of the nasal tip , joint anomalies , longitudinally grooved fingernails and other digital anomalies. ,Function:Binds to the receptor tyrosine kinases EPHB1 and EPHA1. Binds to , and induce the collapse of , commissural axons/growth cones in vitro. May play a role in constraining the orientation of longitudinally projecting axons. ,induction:By TNF-alpha. ,PTM:Inducible phosphorylation of tyrosine residues in the cytoplasmic domain. ,similarity:Belongs to the ephrin family. ,subunit:Interacts with GRIP1 and GRIP2. ,tissue specificity:Heart , placenta , lung , liver , skeletal muscle , kidney , pancreas. ,

Validation Data



Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using Ephrin B1/B2 (Phospho-Tyr329) Antibody



Immunohistochemistry analysis of paraffin-embedded human brain, using Ephrin B1/B2 (Phospho-Tyr329) Antibody. The picture on the right is blocked with the phospho peptide.

| Contact information

Orders: order.cn@immunoway.com
Support: support.cn@immunoway.com
Telephone: 400-8787-807(China)
Website: <http://www.immunoway.com.cn>
Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:

**Ephrin-B1/2
(Phospho Tyr329)
Rabbit pAb**

For Research Use Only. Not for Use in Diagnostic Procedures.

[Antibody](#) | [ELISA Kits](#) | [Protein](#) | [Reagents](#)