

Doublecortin (Phospho Ser297) Rabbit pAb

CatalogNo: YP1316

Key Features

Host Species

- Rabbit

Reactivity

- Human,Rat

Applications

- WB

MW

- 44kD (Observed)

Isotype

- IgG

Storage

Storage* -15°C to -25°C/1 year (Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Recommended Dilution Ratios

WB 1:1000-2000

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen Synthesized phospho peptide around human Doublecortin (Ser297)

Specificity This antibody detects endogenous levels of Human Rat Doublecortin (phospho-Ser297)

Target Information

Gene name DCX DBCN LISX

Protein Name Doublecortin (Ser297)


Organism	Gene ID	UniProt ID
Human	1641 ;	O43602 ;
Mouse	13193 ;	O88809 ;
Rat		Q9ESI7 ;

Cellular Localization Cytoplasm . Cell projection , neuron projection . Localizes at neurite tips .

Tissue specificity Highly expressed in neuronal cells of fetal brain (in the majority of cells of the cortical plate , intermediate zone and ventricular zone) , but not expressed in other fetal tissues. In the adult , highly expressed in the brain frontal lobe , but very low expression in other regions of brain , and not detected in heart , placenta , lung , liver , skeletal muscles , kidney and pancreas.

Function Alternative products:Isoform LIS-XA possesses an alternative exon in 5' and is then translated from an upstream initiation codon. Isoform LIS-XB , isoform LIS-XC and isoform LIS-XD translation starts at the downstream initiation codon , leading to the absence of the 81 first amino acids. Isoform LIS-XC and isoform LIS-XD differ from isoform LIS-XB by a five amino acids and a one amino acid-insertion respectively ,Disease:A chromosomal aberration involving DCX is found in lissencephaly. Translocation t (X;2) (q22.3;p25.1) . ,Disease:Defects in DCX are the cause of lissencephaly X-linked type 1 (LISX1) [MIM:300067]; also called X-LIS or LIS. LISX1 is a classic lissencephaly characterized by mental retardation and seizures that are more severe in male patients. Affected boys show an abnormally thick cortex with absent or severely reduced gyri. Clinical manifestations include feeding problems , abnormal muscular tone , seizures and severe to profound psychomotor retardation. Female patients display a less severe phenotype referred to as 'doublecortex' . ,Disease:Defects in DCX are the cause of subcortical band heterotopia X-linked (SBHX) [MIM:300067]; also known as double cortex or subcortical laminar heterotopia (SCLH) . SBHX is a mild brain malformation of the lissencephaly spectrum. It is characterized by bilateral and symmetric plates or bands of gray matter found in the central white matter between the cortex and cerebral ventricles , cerebral convolutions usually appearing normal. ,Function:Seems to be required for initial steps of neuronal dispersion and cortex lamination during cerebral cortex development. May act by competing with the putative neuronal protein kinase DCAMKL1 in binding to a target protein. May in that way participate in a signaling pathway that is crucial for neuronal interaction before and during migration , possibly as part of a calcium ion-dependent signal transduction pathway. May be part with LIS-1 of an overlapping , but distinct , signaling pathways that promote neuronal migration. ,similarity:Contains 2 doublecortin domains. ,subunit:Interacts with tubulin. ,tissue specificity:Highly expressed in neuronal cells of fetal brain (in the majority of cells of the cortical plate , intermediate zone and ventricular zone) , but not expressed in other fetal tissues. In the adult , highly expressed in the brain frontal lobe , but very low expression in other regions of brain , and not detected in heart , placenta , lung , liver , skeletal muscles , kidney and pancreas. ,

Validation Data



Western blot analysis of lysates from PC12 cells, primary antibody was diluted at 1:1000, 4°C over night

Contact information

Orders: order.cn@immunoway.com
Support: support.cn@immunoway.com
Telephone: 400-8787-807(China)
Website: <http://www.immunoway.com.cn>
Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:
Doublecortin (Phospho Ser297) Rabbit pAb

For Research Use Only. Not for Use in Diagnostic Procedures.

[Antibody](#) | [ELISA Kits](#) | [Protein](#) | [Reagents](#)