

## FOXM1 (Phospho Ser35) Rabbit pAb

CatalogNo: YP1336

Orthogonal Validated 

### Key Features

#### Host Species

- Rabbit

#### Reactivity

- Human, Mouse, Rat

#### Applications

- WB

#### MW

- 83kD (Observed)

#### Isotype

- IgG

### Recommended Dilution Ratios

**WB 1:1000-2000**

### Storage

**Storage\***

-15°C to -25°C/1 year (Do not lower than -25°C)

**Formulation**

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

### Basic Information

**Clonality**

Polyclonal

### Immunogen Information

**Immunogen**

Synthesized phospho peptide around human FoxM1 (Ser35)

**Specificity**

This antibody detects endogenous levels of Human FoxM1 (phospho-Ser35)

### Target Information

**Gene name**

FOXM1 FKHL16 HFH11 MPP2 WIN

**Protein Name** Forkhead box protein M1 (Ser35)


Organism	Gene ID	UniProt ID
Human	<a href="#">2305;</a>	<a href="#">Q08050;</a>
Mouse		<a href="#">O08696;</a>
Rat		<a href="#">P97691;</a>

**Cellular Localization** Nucleus.

**Tissue specificity** Expressed in thymus, testis, small intestine, colon followed by ovary. Appears to be expressed only in adult organs containing proliferating/cycling cells or in response to growth factors. Also expressed in epithelial cell lines derived from tumors. Not expressed in resting cells. Isoform 2 is highly expressed in testis.

**Function** Alternative products:Isoform 1 and isoform 2 appear to be the only activators of gene transcription. Isoform 3, found in rat, does not seem to exist in human,developmental stage:Embryonic expression pattern: liver, lung, intestine, kidney, urinary tract; adult expression pattern: intestine, colon, testis and thymus.,Domain:Within the protein there is a domain which acts as a transcriptional activator. Insertion of a splicing sequence within it inactivates this transcriptional activity, as it is the case for isoform 4.,Function:Transcriptional activatory factor. May play a role in the control of cell proliferation.,induction:Induced during liver regeneration and oxidative stress.,PTM:Phosphorylated in M (mitotic) phase.,similarity:Contains 1 fork-head DNA-binding domain.,tissue specificity:Expressed in thymus, testis, small intestine, colon followed by ovary. Appears to be expressed only in adult organs containing proliferating/cycling cells or in response to growth factors. Also expressed in epithelial cell lines derived from tumors. Not expressed in resting cells.,

## Validation Data



Western Blot analysis of HeLa cell lysis treated or untreated by EGF 20ng/ml 30'.. Primary Antibody was diluted at 1:1000. Secondary antibody(catalog#:RS23920 was diluted at 1:10000

## Contact information

Orders: order.cn@immunoway.com  
Support: support.cn@immunoway.com  
Telephone: 400-8787-807(China)  
Website: <http://www.immunoway.com.cn>  
Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:  
**FOXM1 (Phospho Ser35) Rabbit pAb**

