

# MFF (Phospho Ser146) Rabbit pAb

CatalogNo: YP1403

# Key Features

Host Species <ul> <li>Rabbit</li> </ul>	<ul><li>Reactivity</li><li>Human, Mouse, Rat</li></ul>	<ul><li>Applications</li><li>WB,ELISA,IHC</li></ul>
MW • 37kD (Observed)	Isotype • IgG	

#### **Recommended Dilution Ratios**

WB 1:500-2000 IHC 1:50-300 ELISA 1:2000-20000

## **Storage**

Storage\*-15°C to -25°C/1 year(Do not lower than -25°C)FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

### **Basic Information**

**Clonality** Polyclonal

#### Immunogen Information

Immunogen	Synthesized phosho peptide around human MFF (Ser146)
Specificity	This antibody detects endogenous levels of Human Mouse Rat MFF (phospho-Ser146)


### Target Information

#### Protein Name MFF (Ser146)

Gene ID	UniProt ID
<u>56947;</u>	<u>Q9GZY8;</u>
<u>75734;</u>	<u>Q6PCP5;</u>
<u>100911613;</u>	<u>Q4KM98;</u>
	<u>56947;</u> <u>75734;</u>


CellularMitochondrion outer membrane ; Single-pass type IV membrane protein . Peroxisome .LocalizationCytoplasmic vesicle, secretory vesicle, synaptic vesicle .

**Tissue specificity** Highly expressed in heart, kidney, liver, brain, muscle, and stomach.



Validation Data

Western blot analysis of lysates from U2OS cells, primary antibody was diluted at 1:1000,  $4^{\circ} over \ night$ 



Immunohistochemical analysis of paraffin-embedded human liver cancer. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).

# Contact information

Orders:	order.cn@immunoway.com
Support:	support.cn@immunoway.com
Telephone:	400-8787-807(China)
Website:	http://www.immunoway.com.cn
Address:	2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: MFF (Phospho Ser146) Rabbit pAb For Research Use Only. Not for Use in Diagnostic Procedures.

Immunoway - 3 / 3