

ErbB-4 (Phospho Tyr1242) Rabbit pAb

CatalogNo: YP1810

Key Features

Host Species

- Rabbit

Reactivity

- Human, Mouse, Rat

Applications

- IHC, WB

MW

- 180kD (Observed)

Storage

Storage* -15°C to -25°C/1 year (Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.

Recommended Dilution Ratios

WB 1:500-2000

IHC 1:50-200

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen Synthesized peptide derived from human HER4 (Phospho Tyr1242)

Specificity This antibody detects endogenous levels of HER4 (Phospho Tyr1242) Rabbit pAb at Human, Mouse, Rat. The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following modification sequence (lowercase letters are modification sites): PDyWN

| Target Information

Gene name ERBB4 HER4

Protein Name Receptor tyrosine-protein kinase erbB-4 (Proto-oncogene-like protein c-ErbB-4) (Tyrosine kinase-type cell surface receptor HER4) (p180erbB4) [Cleaved into: ERBB4 intracellular domain (4ICD) (E4ICD) (s80HER4)]


Organism	Gene ID	UniProt ID
Human	2066;	Q15303;
Mouse	13869;	Q61527;
Rat	59323;	Q62956;

Cellular Localization Cell membrane ; Single-pass type I membrane protein . In response to NRG1 treatment , the activated receptor is internalized.; [ERBB4 intracellular domain]: Nucleus . Mitochondrion . Following proteolytical processing E4ICD (E4ICD1 or E4ICD2 generated from the respective isoforms) is translocated to the nucleus. Significantly more E4ICD2 than E4ICD1 is found in the nucleus. E4ICD2 colocalizes with YAP1 in the nucleus.

Tissue specificity Expressed at highest levels in brain , heart , kidney , in addition to skeletal muscle , parathyroid , cerebellum , pituitary , spleen , testis and breast. Lower levels in thymus , lung , salivary gland , and pancreas. Isoform JM-A CYT-1 and isoform JM-B CYT-1 are expressed in cerebellum , but only the isoform JM-B is expressed in the heart.

Function Catalytic activity:ATP + a [protein]-L-tyrosine = ADP + a [protein]-L-tyrosine phosphate. ,Domain:The WW-binding motifs mediate interaction with WWOX. ,Function:Specifically binds and is activated by neuregulins , NRG-2 , NRG-3 , heparin-binding EGF-like growth factor , betacellulin and NTAK. Interaction with these factors induces cell differentiation. Not activated by EGF , TGF-A , and amphiregulin. ,PTM:Isoform JM-A is processed but not isoform JM-B. So , they respectively represent cleavable and non-cleavable forms of the receptor. ,PTM:Ligand-binding increases phosphorylation on tyrosine residues. ,similarity:Belongs to the protein kinase superfamily. Tyr protein kinase family. EGF receptor subfamily. ,similarity:Contains 1 protein kinase domain. ,subunit:Homodimer or heterodimer with each of the other ERBB receptors (Potential) . Interacts with PDZ domains of DLG2 , DLG3 , DLG4 and the syntrophin SNTB2. Interacts with CBFA2T3 , MUC1 and WWOX. ,tissue specificity:Expressed at highest levels in brain , heart , kidney , in addition to skeletal muscle , parathyroid , cerebellum , pituitary , spleen , testis and breast. Lower levels in thymus , lung , salivary gland , and pancreas. Isoform JM-A and isoform JM-B are expressed in cerebellum , but only the isoform JM-B is expressed in the heart. ,

| Validation Data



Western Blot analysis of mouse brain tissue, MCF-7 rat brain tissue using primary antibody at 1:1000 dilution 4°C overnight. Secondary antibody (catalog#:RS23920) was diluted at 1:10000 25°C, 1.5hours

Contact information

Orders: order.cn@immunoway.com
Support: support.cn@immunoway.com
Telephone: 400-8787-807(China)
Website: <http://www.immunoway.com.cn>
Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:
ErbB-4 (Phospho Tyr1242) Rabbit pAb

For Research Use Only. Not for Use in Diagnostic Procedures.

[Antibody](#) | [ELISA Kits](#) | [Protein](#) | [Reagents](#)