

Csk (Phospho Tyr304) Rabbit pAb

CatalogNo: YP1858 **Orthogonal Validated** 

Key Features

Host Species

- Rabbit

Reactivity

- Human, Mouse, Rat

Applications

- IHC, WB

MW

- 55kD (Observed)

Storage

Storage* -15°C to -25°C/1 year (Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.

Recommended Dilution Ratios

WB 1:500-2000

IHC 1:50-200

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen Synthesized peptide derived from human Csk (Phospho Tyr304)

Specificity This antibody detects endogenous levels of Csk (Phospho Tyr304) Rabbit pAb at Human, Mouse, Rat. The name of modified sites may be influenced by many factors, such as species (the modified site was not originally found in human samples) and the change of protein sequence (the previous protein sequence is incomplete, and the protein sequence may be prolonged with the development of protein sequencing technology). When naming, we will use the "numbers" in historical reference to keep the sites consistent with the reports. The antibody binds to the following modification sequence (lowercase letters are modification sites):MEyLE

Target Information

Gene name CSK

Protein Name Tyrosine-protein kinase CSK (C-Src kinase) (Protein-tyrosine kinase CYL)


Organism	Gene ID	UniProt ID
Human	1445;	P41240;
Mouse	12988;	P41241;
Rat	315707;	P32577;

Cellular Localization Cytoplasm . Cell membrane . Mainly cytoplasmic , also present in lipid rafts. .

Tissue specificity Expressed in lung and macrophages.

Function Catalytic activity:ATP + a [protein]-L-tyrosine = ADP + a [protein]-L-tyrosine phosphate. ,Function:Specifically phosphorylates 'Tyr-504' on LCK , which acts as a negative regulatory site. Can also act on the LYN and FYN kinases. ,PTM:Autophosphorylation of Tyr-304 occurs only at abnormally high CSK concentrations in vitro. ,similarity:Belongs to the protein kinase superfamily. Tyr protein kinase family. ,similarity:Belongs to the protein kinase superfamily. Tyr protein kinase family. CSK subfamily. ,similarity:Contains 1 protein kinase domain. ,similarity:Contains 1 SH2 domain. ,similarity:Contains 1 SH3 domain. ,subcellular location:Mainly cytoplasmic , also present in lipid rafts. ,subunit:Interacts with PTPN8 (By similarity) . Interacts with phosphorylated SIT1 , PAG1 , LIME1 and TGFB111. ,tissue specificity:Expressed in lung and macrophages. ,

Validation Data



Western Blot analysis of 1 MCF-7 cell, 2 LPS 100ng/mL 30min treated ,using primary antibody at 1:1000 dilution. Secondary antibody (catalog#:RS23920) was diluted at 1:10000

| Contact information

Orders: order.cn@immunoway.com
Support: support.cn@immunoway.com
Telephone: 400-8787-807(China)
Website: <http://www.immunoway.com.cn>
Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code
to access additional
product information:
**Csk (Phospho
Tyr304) Rabbit pAb**

For Research Use Only. Not for Use in Diagnostic Procedures.

[Antibody](#) | [ELISA Kits](#) | [Protein](#) | [Reagents](#)