

#### www.immunoway.com.cn

# ABCA8 Rabbit pAb

CatalogNo: YT0044

## Key Features

| Host Species <ul> <li>Rabbit</li> </ul> | <ul><li>Reactivity</li><li>Human,Mouse</li></ul> |  |
|---|--|--|
| MW<br>• 179kD (Observed)                | lsotype<br>• lgG                                 |  |

ApplicationsWB,ELISA

#### **Recommended Dilution Ratios**

WB 1:500-1:2000 ELISA 1:40000 Not yet tested in other applications.

### **Storage**

Storage\*-15°C to -25°C/1 year(Do not lower than -25°C)FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

### **Basic Information**

Clonality Polyclonal


### Immunogen Information

| Immunogen   | The antiserum was produced against synthesized peptide derived from human ABCA8.<br>AA range:1151-1200 |
|-------------|--|
| Specificity | ABCA8 Polyclonal Antibody detects endogenous levels of ABCA8 protein.                                  |


### **Target Information**


| Gene name                | ABCA8  |                                 |                        |
|--------------------------|--|---------------------------------|------------------------|
| Protein Name             | ATP-binding cassette sub-family A member 8   |                                 |                        |
|                          | Organism   | Gene ID                         | UniProt ID             |
|                          | Human  | <u>10351;</u>                   | <u>094911;</u>         |
| Cellular<br>Localization | Cell membrane ; Multi-pass membrane protein . Basolateral cell membrane . Predominantly expressed on the sinusoidal plasma membrane  |                                 |                        |
| Tissue specificity       | Widely expressed with higher expression in heart, skeletal muscle and liver (PubMed:12379217, PubMed:28882873, PubMed:29300488). Highly expressed in the superior frontal white matter and inferior temporal white matter (PubMed:12379217). |                                 |                        |
| Function                 | Function:ATP-dependent lipophilic dru<br>transporter family. ABCA subfamily.,s<br>specificity:Widely expressed with high   | imilarity:Contains 2 ABC transp | porter domains.,tissue |

# Validation Data



Western Blot analysis of various cells using ABCA8 Polyclonal Antibody





Western Blot analysis of HuvEc cells using ABCA8 Polyclonal Antibody

Western blot analysis of lysates from HUVEC cells, using ABCA8 Antibody. The lane on the right is blocked with the synthesized peptide.

### **Contact information**

| Orders:    | order.cn@immunoway.com                   |
|------------|--|
| Support:   | support.cn@immunoway.com                 |
| Telephone: | 400-8787-807(China)                      |
| Website:   | http://www.immunoway.com.cn              |
| Address:   | 2200 Ringwood Ave San Jose, CA 95131 USA |



Please scan the QR code to access additional product information: **ABCA8 Rabbit pAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents