

CD264 Rabbit pAb

CatalogNo: YT0742

Key Features

Host Species

Reactivity

Applications WB,ELISA

Rabbit

Human

MW 42kD (Observed) Isotype IgG

Recommended Dilution Ratios

WB 1:500-1:2000 **ELISA 1:10000**

Not yet tested in other applications.

Storage

-15°C to -25°C/1 year(Do not lower than -25°C) Storage*

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. **Formulation**

Basic Information

Polyclonal **Clonality**

Immunogen Information

The antiserum was produced against synthesized peptide derived from human **Immunogen**

TNFRSF10D. AA range:121-170

CD264 Polyclonal Antibody detects endogenous levels of CD264 protein. **Specificity**

Target Information

Gene name TNFRSF10D

Protein Name Tumor necrosis factor receptor superfamily member 10D

Organism	Gene ID	UniProt ID
Human	<u>8793</u> ;	Q9UBN6;

Cellular Localization


Membrane; Single-pass type I membrane protein.

Tissue specificity Widely expressed, in particular in fetal kidney, lung and liver, and in adult testis and liver. Also expressed in peripheral blood leukocytes, colon and small intestine, ovary, prostate, thymus, spleen, pancreas, kidney, lung, placenta and heart.


Function

Function: Receptor for the cytotoxic ligand TRAIL. Contains a truncated death domain and hence is not capable of inducing apoptosis but protects against TRAIL-mediated apoptosis. Reports are contradictory with regards to its ability to induce the NF-kappa-B pathway (According to PubMed:9382840 it cannot but according to PubMed:9430226 it can induce the NF-kappa-B pathway)., similarity: Contains 1 death domain., similarity: Contains 3 TNFR-Cys repeats., tissue specificity: Widely expressed, in particular in fetal kidney, lung and liver, and in adult testis and liver. Also expressed in peripheral blood leukocytes, colon and small intestine, ovary, prostate, thymus, spleen, pancreas, kidney, lung, placenta and heart.,

I Validation Data



Western blot analysis of TNFRSF10D Antibody. The lane on the right is blocked with the TNFRSF10D peptide.



Western blot analysis of the lysates from K562 cells using TNFRSF10D antibody.

| Contact information

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **CD264 Rabbit pAb**

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents