

# CDHF10 Rabbit pAb

CatalogNo: YT0825

## Key Features

Host Species
• Rabbit
MW

317kD (Calculated)

Reactivity
• Human,Mouse,Rat
Isotype

ApplicationsIHC,IF,ELISA

• lgG

#### **Recommended Dilution Ratios**

IHC 1:100-1:300 IF 1:200-1:1000 ELISA 1:5000 Not yet tested in other applications.

## **Storage**

Storage\*-15°C to -25°C/1 year(Do not lower than -25°C)FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

## **Basic Information**

Clonality Polyclonal

#### Immunogen Information

| Immunogen   | The antiserum was produced against synthesized peptide derived from human CELSR2.<br>AA range:2781-2830 |
|-------------|---|
| Specificity | CDHF10 Polyclonal Antibody detects endogenous levels of CDHF10 protein.                                 |

## **Target Information**

#### Gene name CELSR2

#### Protein Name Cadherin EGF LAG seven-pass G-type receptor 2

| Organism | Gene ID       | UniProt ID     |
|----------|---------------|----------------|
| Human    | <u>1952</u> ; | <u>Q9HCU4;</u> |
| Mouse    |               | <u>Q9R0M0;</u> |
| Rat      |               | <u>Q9QYP2;</u> |


Cellular Cell membrane; Multi-pass membrane protein.

#### Localization


**Tissue specificity** Highest expression in brain and testis.

FunctionFunction:Receptor that may have an important role in cell/cell signaling during nervous<br/>system formation.,PTM:The iron and 2-oxoglutarate dependent 3-hydroxylation of aspartate<br/>and asparagine is (R) stereospecific within EGF domains.,similarity:Belongs to the G-protein<br/>coupled receptor 2 family. LN-TM7 subfamily.,similarity:Contains 1 GPS<br/>domain.,similarity:Contains 1 laminin EGF-like domain.,similarity:Contains 2 laminin G-like<br/>domains.,similarity:Contains 7 EGF-like domains.,similarity:Contains 9 cadherin<br/>domains.,tissue specificity:Highest expression in brain and testis.,

# Validation Data



Immunofluorescence analysis of COS7 cells, using CELSR2 Antibody. The picture on the right is blocked with the synthesized peptide.



Immunohistochemistry analysis of paraffin-embedded human brain tissue, using CELSR2 Antibody. The picture on the right is blocked with the synthesized peptide.

# Contact information

| Orders:    | order.cn@immunoway.com                   |
|------------|--|
| Support:   | support.cn@immunoway.com                 |
| Telephone: | 400-8787-807(China)                      |
| Website:   | http://www.immunoway.com.cn              |
| Address:   | 2200 Ringwood Ave San Jose, CA 95131 USA |
|            | ··· 5··· ·· ,··· ,···                    |



Please scan the QR code to access additional product information: **CDHF10 Rabbit pAb**  For Research Use Only. Not for Use in Diagnostic Procedures.

Immunoway - 3 / 3