

DHA Kinase Rabbit pAb

CatalogNo: YT1341

| Key Features

Host Species

- Rabbit

Reactivity

- Human, Mouse, Rat

Applications

- WB, IHC, IF, ELISA

MW

- 59kD (Observed)

Isotype

- IgG

| Recommended Dilution Ratios

WB 1:200-1:1000

ELISA 1:20000

IF 1:20-50

| Storage

Storage* -15°C to -25°C/1 year (Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

| Basic Information

Clonality Polyclonal

| Immunogen Information


Immunogen The antiserum was produced against synthesized peptide derived from human DAK. AA range: 91-140

Specificity DHA Kinase Polyclonal Antibody detects endogenous levels of DHA Kinase protein.


| Target Information

Gene name	DAK		
Protein Name	Bifunctional ATP-dependent dihydroxyacetone kinase/FAD-AMP lyase		
	Organism	Gene ID	UniProt ID
	Human	26007 ;	Q3LXA3 ;
	Mouse	225913 ;	Q8VC30 ;
	Rat	361730 ;	Q4KLZ6 ;
Cellular Localization	nucleus,cytosol,extracellular exosome,		
Tissue specificity	Detected in erythrocytes (at protein level).		
Function	Catalytic activity:ATP + glycerone = ADP + glycerone phosphate.,Catalytic activity:FAD = AMP + riboflavin cyclic-4',5'-phosphate.,cofactor:Magnesium.,cofactor:Manganese or cobalt; for FAD-AMP lyase activity.,enzyme regulation:Each activity is inhibited by the substrate(s) of the other.,Function:Catalyzes both the phosphorylation of dihydroxyacetone and the splitting of ribonucleoside diphosphate-X compounds among which FAD is the best substrate.,similarity:Belongs to the dihydroxyacetone kinase (DAK) family.,similarity:Contains 1 DAK1 (dihydroxyacetone kinase subunit 1) domain.,similarity:Contains 1 DAK2 (dihydroxyacetone kinase subunit 2) domain.,subunit:Homodimer.,		

Validation Data



Immunohistochemical analysis of paraffin-embedded Human prostate cancer. Antibody was diluted at 1:100(4° overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negative contrl (right) obtaned from antibody was pre-absorbed by immunogen peptide.



Western blot analysis of lysates from K562 and A549 cells, using DAK Antibody. The lane on the right is blocked with the synthesized peptide.

| Contact information

Orders: order.cn@immunoway.com
Support: support.cn@immunoway.com
Telephone: 400-8787-807(China)
Website: <http://www.immunoway.com.cn>
Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code
to access additional
product information:
**DHA Kinase Rabbit
pAb**

For Research Use Only. Not for Use in Diagnostic Procedures.

[Antibody](#) | [ELISA Kits](#) | [Protein](#) | [Reagents](#)