

# MKK3 Rabbit pAb

CatalogNo: YT2717

#### **Key Features**

**Host Species** 

Rabbit

Reactivity

· Human, Mouse, Rat

**Applications** 

WB,ELISA,IHC

MW39kD (Observed)

IsotypeIgG

#### **Recommended Dilution Ratios**

WB 1:500-2000 IHC 1:50-300

ELISA 1:2000-20000

#### Storage

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

#### **Basic Information**

**Clonality** Polyclonal

#### Immunogen Information

**Immunogen** The antiserum was produced against synthesized peptide derived from human MAP2K3.

AA range:188-237

**Specificity** MEK-3 Polyclonal Antibody detects endogenous levels of MEK-3 protein.

## | Target Information

Gene name MAP2K3

**Protein Name** Dual specificity mitogen-activated protein kinase kinase 3

Organism	Gene ID	UniProt ID
Human	<u>5606</u> ;	<u>P46734;</u>
Mouse	<u>26397;</u>	<u>009110</u> ;

Cellular Localization nucleoplasm,cytoplasm,cytosol,membrane,

Tissue specificity Abundant expression is seen in the skeletal muscle. It is also widely expressed in other

tissues.

**Function** Catalytic activity:ATP + a protein = ADP + a phosphoprotein.,Disease:Defects in MAP2K3

> may be involved in colon cancer., enzyme regulation: Activated by dual phosphorylation on Ser-218 and Thr-222., Function: Dual specificity kinase. Is activated by cytokines and environmental stress in vivo. Catalyzes the concomitant phosphorylation of a threonine and a tyrosine residue in the MAP kinase p38.,PTM:Autophosphorylated.,PTM:Phosphorylation on Ser-218 and Thr-222 by MAP kinase kinase kinases regulates positively the kinase activity..PTM:Yersinia vopl may acetylate Ser/Thr residues, preventing phosphorylation and activation, thus blocking the MAPK signaling pathway., similarity: Belongs to the protein kinase superfamily..similarity:Belongs to the protein kinase superfamily. STE Ser/Thr protein

kinase family. MAP kinase kinase subfamily., similarity: Contains 1 protein kinase

domain., subunit: Binds to DYRK1B/MIRK and increases its kinase activity. Part of a complex with MAP3K3, RAC1 and CCM2. Interacts with Yersinia yop[.,tissue specificity:Abundant expression is seen in the skeletal muscle. It is also widely expressed in other tissues.,

### Validation Data

#### Contact information

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

2200 Ringwood Ave San Jose, CA 95131 USA Address:



Please scan the OR code to access additional product information: MKK3 Rabbit pAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents