

# MIPP Rabbit pAb

CatalogNo: YT2767

## Key Features

**Host Species** 

Rabbit

Reactivity

· Human, Mouse, Rat

Applications

WB,IHC,IF,ELISA

MW • 60kD (Observed)

IsotypeIgG

### **Recommended Dilution Ratios**

WB 1:500-1:2000 IHC 1:100-1:300 ELISA 1:10000 IF 1:50-200

## Storage

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

## **Basic Information**

**Clonality** Polyclonal

## Immunogen Information

**Immunogen** The antiserum was produced against synthesized peptide derived from human MINPP1.

AA range:328-377

**Specificity** MIPP Polyclonal Antibody detects endogenous levels of MIPP protein.

# | Target Information

#### Gene name

MINPP1

#### **Protein Name**

Multiple inositol polyphosphate phosphatase 1

Organism	Gene ID	UniProt ID
Human	<u>9562;</u>	Q9UNW1;
Mouse	<u>17330</u> ;	<u>Q9Z2L6;</u>
Rat	<u>29688;</u>	<u>035217;</u>

### Cellular Localization


Endoplasmic reticulum lumen .

**Tissue specificity** Widely expressed with highest levels in kidney, liver and placenta.


### **Function**

Catalytic activity: Myo-inositol hexakisphosphate + H(2)O = myo-inositol pentakisphosphate (mixed isomers) + phosphate., Disease: Defects in MINPP1 may be involved in follicular thyroid tumors development., Function: Acts as a phosphoinositide 5- and phosphoinositide 6-phosphatase and regulates cellular levels of inositol pentakisphosphate (InsP5) and inositol hexakisphosphate (InsP6) (By similarity). May play a role in bone development (endochondral ossification), tissue specificity: Widely expressed with highest levels in kidney, liver and placenta.,


### **Validation Data**



Western Blot analysis of various cells using MIPP Polyclonal Antibody



Western blot analysis of the lysates from HepG2 cells using MINPP1 antibody.



Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).

### | Contact information

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:

MIPP Rabbit pAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents