

# **MKP-7 Rabbit pAb**

CatalogNo: YT2777

# **Key Features**

**Host Species** 

Rabbit

Reactivity

Human, Mouse

**Applications** 

WB,IHC,IF,ELISA

MW73kD (Observed)

IsotypeIgG

### **Recommended Dilution Ratios**

WB 1:500-1:2000 IHC 1:100-1:300 IF 1:200-1:1000 ELISA 1:10000

Not yet tested in other applications.

## Storage

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

## **Basic Information**

**Clonality** Polyclonal

# Immunogen Information

**Immunogen** The antiserum was produced against synthesized peptide derived from human DUSP16.

AA range:571-620

**Specificity** MKP-7 Polyclonal Antibody detects endogenous levels of MKP-7 protein.

## | Target Information

Gene name DUSP16

**Protein Name** Dual specificity protein phosphatase 16

Organism Gene ID UniProt ID

Human <u>80824;</u> <u>Q9BY84;</u>

Cellular Localization Cytoplasm. Nucleus. Cytoplasmic vesicle. After dissociation upon AGTR stimulation, reassociates with ARRB2 on endocytic vesicles.

**Tissue specificity** Bone marrow, Brain, Duodenum, PCR rescued clones,

**Function** Catalytic activity: A phosphoprotein + H(2)O = a protein + phosphate., Catalytic

activity:Protein tyrosine phosphate + H(2)O = protein tyrosine +


phosphate., Function: Involved in the inactivation of MAP kinases., similarity: Belongs to the

protein-tyrosine phosphatase family. Non-receptor class dual specificity


subfamily., similarity: Contains 1 rhodanese domain., similarity: Contains 1 tyrosine-protein

phosphatase domain.,


### **Validation Data**



Immunofluorescence analysis of HepG2 cells, using DUSP16 Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from Jurkat and COLO205 cells, using DUSP16 Antibody. The lane on the right is blocked with the synthesized peptide.



Immunohistochemical analysis of paraffin-embedded human brain tumor. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).

#### I Contact information

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:

MKP-7 Rabbit pAb

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents