

# Neurophysin I Rabbit pAb

CatalogNo: YT3072

## Key Features

Host Species • Rabbit	Reactivity • Human,Rat	Applications <ul> <li>WB,IHC,IF,ELISA</li> </ul>
MW • 19kD (Observed)	Isotype • IgG	

#### **Recommended Dilution Ratios**

WB 1:500-1:2000 IHC 1:100-1:300 ELISA 1:20000 IF 1:50-200

## **Storage**

Storage\*-15°C to -25°C/1 year(Do not lower than -25°C)FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

### **Basic Information**

Clonality Polyclonal

## Immunogen Information


Immunogen	The antiserum was produced against synthesized peptide derived from human Neurophysin I. AA range:40-89
Specificity	Neurophysin I Polyclonal Antibody detects endogenous levels of Neurophysin I protein.

### **Target Information**


Gene name	OXT			
Protein Name	Oxytocin-neurophysin 1			
	Organism	Gene ID	UniProt ID	
	Human	<u>5020;</u>	<u>P01178;</u>	
	Mouse		<u>P35454;</u>	
	Rat	<u>25504;</u>	<u>P01179;</u>	
Cellular Localization	Secreted.			
Tissue specificity	<sup>r</sup> Lung,			
Function	Function:Neurophysin 1 specifically binds oxytocin.,Function:Oxytocin causes contraction of the smooth muscle of the uterus and of the mammary gland.,online information:Oxytocin entry,pharmaceutical:Oxytocin is available under the names Pitocin (Parke-Davis) and Syntocinon (Sandoz). Used to artificially speed or induce labor.,similarity:Belongs to the			

## Validation Data

vasopressin/oxytocin family.,



Immunohistochemistry analysis of Neurophysin I antibody in paraffinembedded human brain tissue.



Western blot analysis of lysate from K562 cells, using Neurophysin I antibody.

## **Contact information**

Orders:order.cn@immunoway.comSupport:support.cn@immunoway.comTelephone:400-8787-807(China)Website:http://www.immunoway.com.cnAddress:2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **Neurophysin I Rabbit pAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents