

O-FucT-1 Rabbit pAb

CatalogNo: YT3237

Key Features

Host SpeciesReactivity• Rabbit• Human,Mouse,RatMWIsotype• 44kD (Observed)• IgG

Applications • WB,IHC,IF,ELISA

Recommended Dilution Ratios

WB 1:500-1:2000 IHC 1:100-1:300 ELISA 1:40000 IF 1:50-200

Storage

Storage*-15°C to -25°C/1 year(Do not lower than -25°C)FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen	The antiserum was produced against synthesized peptide derived from human POFUT1. AA range:331-380
Specificity	O-FucT-1 Polyclonal Antibody detects endogenous levels of O-FucT-1 protein.

Target Information

Gene name POFUT1

Protein Name GDP-fucose protein O-fucosyltransferase 1

Organism	Gene ID	UniProt ID
Human	<u>23509;</u>	<u>Q9H488;</u>
Mouse	<u>140484;</u>	<u>Q91ZW2;</u>
Rat	<u>311551;</u>	<u>Q6EV70;</u>


Cellular Endoplasmic reticulum .

Localization


Tissue specificity Highly expressed in heart, brain, placenta, lung, liver, skeletal muscle, kidney and pancreas.

FunctionCatalytic activity:Transfers an alpha-L-fucosyl residue from GDP-beta-L-fucose to the serine
hydroxy group of a protein acceptor.,cofactor:Manganese.,Function:Catalyzes the reaction
that attaches fucose through an O-glycosidic linkage to a conserved serine or threonine
residue in EGF domains. Plays a crucial role in Notch signaling.,online
information:GlycoGene database,online information:Peptide-O-fucosyltransferase
1,pathway:Protein modification; protein glycosylation.,similarity:Belongs to the
glycosyltransferase 68 family.,tissue specificity:Highly expressed in heart, brain, placenta,
lung, liver, skeletal muscle, kidney and pancreas.,

Validation Data



Immunohistochemistry analysis of paraffin-embedded human lung carcinoma tissue, using POFUT1 Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from Jurkat, HeLa, and HepG2 cells, using POFUT1 Antibody. The lane on the right is blocked with the synthesized peptide.

Contact information

Orders:order.cn@immunoway.comSupport:support.cn@immunoway.comTelephone:400-8787-807(China)Website:http://www.immunoway.com.cnAddress:2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **O-FucT-1 Rabbit pAb**

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents