

www.immunoway.com.cn

PAI-1 Rabbit pAb

CatalogNo: YT3569

Key Features

Host Species Rabbit 	Reactivity • Human,Mouse,Rat	
MW • 47kD (Observed)	Isotype • IgG	

ApplicationsWB,IHC,IF,ELISA

Recommended Dilution Ratios

WB 1:500-1:2000 IHC 1:100-1:300 ELISA 1:20000 IF 1:50-200

Storage

Storage*-15°C to -25°C/1 year(Do not lower than -25°C)FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen	The antiserum was produced against synthesized peptide derived from human PAI-1. AA range:266-315
Specificity	PAI-1 Polyclonal Antibody detects endogenous levels of PAI-1 protein.

Target Information

Gene name SERPINE1

Protein Name Plasminogen activator inhibitor 1

Organism	Gene ID	UniProt ID
Human	<u>5054;</u>	<u>P05121;</u>
Mouse		<u>P22777;</u>
Rat	<u>24617;</u>	<u>P20961;</u>

Cellular Secreted .

Localization

Tissue specificity Expressed in endothelial cells (PubMed:2430793, PubMed:3097076). Found in plasma, platelets, and hepatoma and fibrosarcoma cells.

FunctionDisease:Defects in SERPINE1 are the cause of plasminogen activator inhibitor-1 deficiency
(PAI-1 deficiency) [MIM:173360]. This deficiency is characterized by abnormal bleeding due
to SERPINE1 defect in the plasma.,Disease:High concentrations of SERPINE1 have been
associated with thrombophilia [MIM:188050]; an autosomal dominant disorder in which
affected individuals are prone to develop serious spontaneous thrombosis.,Function:This
inhibitor acts as 'bait' for tissue plasminogen activator, urokinase, and protein C. Its rapid
interaction with TPA may function as a major control point in the regulation of
fibrinolysis.,online information:Plasminogen activator inhibitor-1 entry,PTM:Inactivated by
proteolytic attack of the urokinase-type (u-PA) and the tissue-type (TPA), cleaving the 369-
Arg-|-Met-370 bond.,similarity:Belongs to the serpin family.,subunit:Interacts with VTN.
Binds LRP1B; binding is followed by internalization and degradation.,tissue specificity:Found
in plasma and platelets and in endothelial, hepatoma and fibrosarcoma cells.,

Validation Data

Contact information

Orders:	order.cn@immunoway.com
Support:	support.cn@immunoway.com
Telephone:	400-8787-807(China)
Website:	http://www.immunoway.com.cn
Address:	2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **PAI-1 Rabbit pAb**

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents