

# **RACK7 Rabbit pAb**

CatalogNo: YT3955

## **Key Features**

**Host Species** 

Reactivity Human

**Applications** WB,ELISA,IHC

Rabbit

MW 132kD (Observed) Isotype IgG

#### **Recommended Dilution Ratios**

WB 1:500-2000 IHC 1:50-300

ELISA 1:2000-20000

## **Storage**

-15°C to -25°C/1 year(Do not lower than -25°C) Storage\*

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. **Formulation** 

## **Basic Information**

Polyclonal **Clonality** 

## Immunogen Information

The antiserum was produced against synthesized peptide derived from human PKCB1. **Immunogen** 

AA range:581-630

**Specificity** RACK7 Polyclonal Antibody detects endogenous levels of RACK7 protein.

# | Target Information

**Gene name** ZMYND8

**Protein Name** Protein kinase C-binding protein 1

Organism	Gene ID	UniProt ID
Human	<u>23613</u> ;	Q9ULU4;

Cellular Localization Nucleus . Cytoplasm . Sequestered in the cytoplasm through the interaction with DBN1. .

**Tissue specificity** Expressed in all tissues examined with highest expression in brain, lung, pancreas, and placenta. Expressed in cutaneous T-cell lymphomas (CTCL).


**Function** PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Contains 1

bromo domain., similarity: Contains 1 MYND-type zinc finger., similarity: Contains 1 PHD-type


zinc finger., similarity: Contains 1 PWWP domain., subunit: Interacts in vitro with

PRKCB1.,tissue specificity:Expressed in all tissues examined with highest expression in brain, lung, pancreas, and placenta. Expressed in cutaneous T-cell lymphomas (CTCL).,


### **I** Validation Data



Western Blot analysis of various cells using RACK7 Polyclonal Antibody



Western blot analysis of lysates from 293 cells, using PKCB1 Antibody. The lane on the right is blocked with the synthesized peptide.



Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).

### | Contact information

Orders: order.cn@immunoway.com
Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **RACK7 Rabbit pAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents