

Rag C Rabbit pAb

CatalogNo: YT3992 **Orthogonal Validated** 

Comparable Abs 

Key Features

Host Species

- Rabbit

Reactivity

- Human, Mouse, Rat

Applications

- WB, ELISA, IHC, CoIP

MW

- 44kD (Observed)

Isotype

- IgG

Storage

Storage* -15°C to -25°C/1 year (Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Recommended Dilution Ratios

WB 1:500-2000

IHC 1:50-300

IP 1:50-200

ELISA 1:2000-20000

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen The antiserum was produced against synthesized peptide derived from human RRAGC. AA range:302-351

Specificity Rag C Polyclonal Antibody detects endogenous levels of Rag C protein.

Target Information

Gene name RRAGC

Protein Name Ras-related GTP-binding protein C


Organism	Gene ID	UniProt ID
Human	64121 ;	Q9HB90 ;
Mouse	54170 ;	Q99K70 ;

Cellular Localization Cytoplasm . Nucleus . Lysosome . Predominantly cytoplasmic. May shuttle between the cytoplasm and nucleus , depending on the bound nucleotide state of associated RRAGA (PubMed:11073942) . .


Tissue specificity Lymph ,Ovary ,

Function Function:Has guanine nucleotide-binding activity but weak intrinsic GTPase activity. ,similarity:Belongs to the GTR/RAG GTP-binding protein family. ,subcellular location:Predominantly cytoplasmic. May shuttle between the cytoplasm and nucleus , depending on the bound nucleotide state of associated RRAGA. ,subunit:Forms a heterodimer with RRAGA in a sequence-independent manner. Binds GTP. Interacts with NOL8 and RRAGB. ,

Validation Data



Western blot analysis of lysates from HepG2, A549, and LOVO cells, using RRAGC Antibody. The lane on the right is blocked with the synthesized peptide.



Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200 (4°C overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200 (room temperature, 45min).

| Contact information

Orders: order.cn@immunoway.com
Support: support.cn@immunoway.com
Telephone: 400-8787-807(China)
Website: <http://www.immunoway.com.cn>
Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code
to access additional
product information:
Rag C Rabbit pAb

For Research Use Only. Not for Use in Diagnostic Procedures.

[Antibody](#) | [ELISA Kits](#) | [Protein](#) | [Reagents](#)