**Applications** 

WB,IHC



# RNF15 Rabbit pAb

CatalogNo: YT4157

## **Key Features**

**Host Species** Reactivity

 Rabbit Human, Mouse

MW Isotype IgG

58kD (Observed)

#### **Recommended Dilution Ratios**

WB 1:500-2000 IHC 1:50-300

## Storage

-15°C to -25°C/1 year(Do not lower than -25°C) Storage\*

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

#### **I** Basic Information

Clonality Polyclonal

# Immunogen Information

The antiserum was produced against synthesized peptide derived from human TRIM38. **Immunogen** 

AA range:161-210

**Specificity** RNF15 Polyclonal Antibody detects endogenous levels of RNF15 protein.

### | Target Information

Gene name TRIM38 **Protein Name** 

Tripartite motif-containing protein 38

Organism	Gene ID	UniProt ID
Human	<u>10475</u> ;	<u>000635</u> ;


Cellular Localization Cytoplasm .

Tissue specificity Ubiquitous.


**Function** 

similarity:Contains 1 B box-type zinc finger.,similarity:Contains 1 B30.2/SPRY domain.,similarity:Contains 1 RING-type zinc finger.,tissue specificity:Ubiquitous.,


### **Validation Data**



Western Blot analysis of LOVO cells using RNF15 Polyclonal Antibody



Western blot analysis of lysates from LOVO and RAW264.7 cells, using TRIM38 Antibody. The lane on the right is blocked with the synthesized peptide.



Immunohistochemical analysis of paraffin-embedded human Gastric adenocarcinoma. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).

# | Contact information

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **RNF15 Rabbit pAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents