

Tubulin α 1/3/4 Rabbit pAb

CatalogNo: YT4778

Key Features

Host Species

- Rabbit

Reactivity

- Human, Mouse, Rat

Applications

- WB, ELISA

MW

- 50-56kD (Observed)

Isotype

- IgG

Recommended Dilution Ratios

WB 1:500-1:2000

ELISA 1:10000

Not yet tested in other applications.

Storage

Storage* -15°C to -25°C/1 year (Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen The antiserum was produced against synthesized peptide derived from human TUBA1/3/4. AA range: 238-287

Specificity Tubulin α 1/3/4 Polyclonal Antibody detects endogenous levels of Tubulin α 1/3/4 protein.

Target Information

Gene name	TUBA1A		
Protein Name	Tubulin alpha-1A chain		
	Organism	Gene ID	UniProt ID
	Human	7846 ; 10376 ; 84790 ; 113457 ; 7278 ; 112714 ; Q71U36 ; P68363 ; Q9BQE3 ; Q13748 ; 7277 ;	P68363 ; Q9BQE3 ; Q13748 ; Q6PEY2 ; P68366 ;
	Mouse	22142 ; 22143 ; 22146 ;	
	Rat	64158 ; 500929 ; 100909441 ;	P68370 ; Q6P9V9 ; Q6AYZ1 ;

Cellular Localization Cytoplasm, cytoskeleton.

Tissue specificity Expressed at a high level in fetal brain.

Function Disease:Defects in TUBA1A are the cause of lissencephaly type 3 (LIS3) [MIM:611603]. LIS is characterized by a smooth brain surface due to the absence (agyria) or reduction (pachygyria) of surface convolutions. It is often associated with psychomotor retardation and seizures. LIS3 features include agyria or pachygyria or laminar heterotopia, severe mental retardation, motor delay, variable presence of seizures, and abnormalities of corpus callosum, hippocampus, cerebellar vermis and brainstem.,Function:Tubulin is the major constituent of microtubules. It binds two moles of GTP, one at an exchangeable site on the beta chain and one at a non-exchangeable site on the alpha-chain.,PTM:Undergoes a tyrosination/detyrosination cycle, the cyclic removal and re-addition of a C-terminal tyrosine residue by the enzymes tubulin tyrosine carboxypeptidase (TTCP) and tubulin tyrosine ligase (TTL), respectively.,similarity:Belongs to the tubulin family.,subunit:Dimer of alpha and beta chains.,tissue specificity:Expressed at a high level in fetal brain.,

Validation Data

Contact information

Orders: order.cn@immunoway.com
 Support: support.cn@immunoway.com
 Telephone: 400-8787-807(China)
 Website: <http://www.immunoway.com.cn>
 Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:
Tubulin α 1/3/4
Rabbit pAb