

SLP-76 Rabbit pAb

CatalogNo: YT5071

Key Features

Host Species

Rabbit

MW

60kD (Observed)

Reactivity

· Human, Mouse, Rat

Isotype

IgG

Applications

• WB,IHC,IF,ELISA

Recommended Dilution Ratios

WB 1:500-1:2000 IHC: 1:100-300 ELISA 1:10000 IF 1:50-200

Storage

Storage* -15°C to -25°C/1 ye

-15°C to -25°C/1 year(Do not lower than -25°C)

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen Synthesized peptide derived from SLP-76 . at AA range: 270-350

Specificity SLP-76 Polyclonal Antibody detects endogenous levels of SLP-76 protein.

| Target Information

Gene name

LCP2

Protein Name

Lymphocyte cytosolic protein 2

| Organism | Gene ID | UniProt ID |
|----------|---------------|-----------------|
| Human | <u>3937</u> ; | <u>Q13094;</u> |
| Mouse | <u>16822;</u> | <u>Q60787</u> ; |

Cellular Localization


Cytoplasm.

Tissue specificity Highly expressed in spleen, thymus and peripheral blood leukocytes. Highly expressed also in T-cell and monocytic cell lines, expressed at lower level in B-cell lines. Not detected in fibroblast or neuroblastoma cell lines.

Function

Domain: The SH2 domain mediates interaction with SHB., Function: Involved in T-cell antigen receptor mediated signaling., PTM: Phosphorylated after T-cell receptor activation by ZAP-70., similarity: Contains 1 SAM (sterile alpha motif) domain., similarity: Contains 1 SH2 domain., subunit: Interacts with SLA. Interacts with CBLB (By similarity). Interacts with the adapter proteins GRB2 and FYB. Interacts with SHB. Interacts with PRAM1., tissue specificity: Highly expressed in spleen, thymus, and peripheral blood leukocytes. Highly expressed also in T-cell and monocytic cell lines, expressed at lower level in B-cell lines. Not detected in fibroblast or neuroblasatoma cell lines.,

Validation Data



Western Blot analysis of extracts from Jurkat cells, using SLP-76 Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded human-prostate-cancer, antibody was diluted at 1:100

| Contact information

Orders: order.cn@immunoway.com Support: support.cn@immunoway.com

Telephone: 400-8787-807(China)

Website: http://www.immunoway.com.cn

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **SLP-76 Rabbit pAb**

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents