

DNA Pol µ Rabbit pAb

CatalogNo: YT5105

Key Features

Host Species • Rabbit	ReactivityHuman,Mouse	Applications • WB,ELISA
MW • 54kD (Observed)	Isotype • IgG	

Recommended Dilution Ratios

WB 1:500-1:2000 ELISA 1:40000 Not yet tested in other applications.

Storage

Storage*-15°C to -25°C/1 year(Do not lower than -25°C)FormulationLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Basic Information

Clonality Polyclonal

Immunogen Information

Immunogen	Synthesized peptide derived from DNA Pol μ . at AA range: 210-290
Specificity	DNA Pol μ Polyclonal Antibody detects endogenous levels of DNA Pol μ protein.


Target Information

Gene name POLM

Protein Name DNA-directed DNA/RNA polymerase mu

	Organism	Gene ID	UniProt ID
	Human	<u>27434;</u>	<u>Q9NP87;</u>
	Mouse		<u>Q9JIW4;</u>
Cellular Localization	Nucleus .		
Tissue specificity	Expressed in a number of tissues. Abundant in thymus.		
Function	Catalytic activity:Deoxynucleoside triphosphate + DNA(n) = diphosphate + DNA(n+1).,cofactor:Magnesium.,Function:Seems to act as an Ig mutase which is responsible for immunoglobulin (Ig) gene hypermutation.,similarity:Belongs to the DNA polymerase type-X family.,similarity:Contains 1 BRCT domain.,tissue specificity:Expressed in a number of tissues. Abundant in thymus.,		

Validation Data



Western Blot analysis of extracts from K562 cells, using DNA Pol μ Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).

Contact information

Orders:	order.cn@immunoway.com
Support:	support.cn@immunoway.com
Telephone:	400-8787-807(China)
Website:	http://www.immunoway.com.cn
Address:	2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **DNA Pol µ Rabbit pAb** For Research Use Only. Not for Use in Diagnostic Procedures.

Immunoway - 3 / 3